

SINCE 1982





Keyword index 2 Page Maintenance + care Page 3 - 21 Brick dustbins / broomsticks / wheelbarrows / shovels / rakes / scrapers / scrapers Drag mats / drag nets / line sweepers / equipment holders / site drying / site sprinkling Motorised rollers / motorised brooms Nets + accessories Page 22 - 35 Court Royal tennis nets / Court Royal tennis net posts / Webbing / Net anchors / Ground anchors Net supports / Post tensioning mechanism / Spare parts / Mobile tournament net systems / Court dimensions Tennis court accessories Page 36 - 59 Marking tapes / Line cover / Special tennis lines + accessories / Line roller / Line tamper Signs / Scoreboards / Match pointers / Referee chairs / Advertising benches / Sunshades Benches / shoe cleaners / litter bins / seating plans / information boxes / screens Pitch dividing nets / Rubber granules / Stand seats / Stands Ball walls + ball throwing machines Page 60 - 66 AIR-Tennis / Smash-Back practice wall / Tennis tutor Ball throwing machine / Ball throwing machine Tennis-Twist / Playmate ball throwing machine / net training walls Training + accessories 67 - 74 Page

Multisport radar / ball collector / ball baskets / tennis balls / hurdles / marking aids / coordination ladder Medicine balls / foam balls / skipping ropes / fun ball

Children's Tennis

Children's tennis balls Stage 1-3 / Tennis rackets Stage 1-5 / BIMBI net systems / Net system sets Ground markings for small court tennis

Ball sports + accessories

Pickleball net systems / rackets / balls / posts / nets / ball throwing machine / court dimensions Padel tennis - complete systems / net posts / nets / brooms / balls / court dimensions Ball throwing machine Volleyball posts / Beach volleyball posts / Referee platforms / Court markings Badminton posts / volleyball nets / badminton nets / football tennis / football youth goals Handball goals / Training goals / Basketball facilities / Basketball baskets / Basketball goal boards Streeball facilities / Scorli LED scoreboard

Court Dimensions

Page 81 - 102

Page 75 - 80

85, 103 - 106



Index of keywords

Article	Page
Advertising bench	46
Advertising screens	52,53
Advertising referee's chair	45
Air tennis	61
Aluminium all-purpose shovel	5
Aluminium roughening rail	7
Aluminium ceiling profile blade	7
Aluminium brick slider	6
Aluminium/wood guide rod	11
Anchoring tube	39
Badminton Ball caddy Balls Ball catcher Ball baskets Ball tube Ball trolley Ball wall Ball throwing machines Benches Basketball Beach volleyball Bimbi small field systems Brick flour boxes Brick flour distributor Brick flour distributor Broom handles Broom handle holder Brush mat Platzfit	$\begin{array}{c} 90, 91\\ 70, 81\\ 71, 74, 76, 84, 87\\ 54, 55\\ 69, 70\\ 69, 84\\ 69, 70\\ 61, 62, 66\\ 63, 64, 65, 85, 87\\ 46, 47, 48, 49\\ 96, 97, 98, 99\\ 89\\ 77, 78, 79, 80\\ 4\\ 6\\ 7\\ 12, 13, 14\\ 6\\ 16\\ 9\end{array}$
Centre belt	32
Ceiling profile sheet	7
Coordination ladder	72
Chalk spray	40
Children's marking lines	80
Children's net system	78,79,80
Children's tennis racket 76clax ® ba	11 trolley 69
Coconut peel-off carpet	9
Collection baskets	68,69,70
Combi broom	9
Combi planner	68,69,70
Combiplaner	9
Combiplaner	8
Comunication boxes	8
Court Royal tennis nets	102
Court and pitch dimensions	24,25,26,27
Court fit	85,103-106
Court numbers	9
Court rollers	41
Court rollers	20,21
Cutter	20,21
Device holder	16
Display units	42, 43, 100, 101
Divider and stop nets	54, 55
Double claw	39
Drawbar	11
Drag mats	8, 9, 10, 11
Extracting brushes	12,13
Fan nozzle	19
Fitness pack	72,73
Fixing pins	38
Frankfurt shovel	5
Folding bracket	39
Folding tennis net post	35
Folding stand	18
Foot scraper	50
Football goals + goal nets	94,95
Game and set display	42, 43
Grand Slam players' bench	46
Ground plugs	39
Ground sockets	28, 29, 31
Ground markings	40, 78
Ground anchor	33
Geka counterparts	19
Granulate squeegee	12, 55
Granutop	12
Gutter cleaner	6
Hall separation nets	54, 55
Handball goals	95
Hand rollers	20
Hose	19

Article	Page
Info boxes Iso-line line masking tape	102 38
Jowo Tennis Caddy	70
K-Max Key for tennis net posts Line Master Line tape Line broom Line flash Line sweeper Line tamper Line roller	68 31 15 38,39 14 15 15 40 40
Match liner Match pointer Match timer Magnetic signs Marking tapes Marking cones Marking cones Marking lines for children's tennis Methodical balls Marking trolleys Medicine balls Mini goals Multi-purpose jet pipe Motorised rollers Multisport radar	15 43 41 38,39 72,73 80 74 40,78 95 18 21 68
Nets Net weight Net centre band Net posts Net supports Net walls Numbers	24-27, 83, 87, 91, 92 33 32 28, 29, 30 33 66 41
Occupancy system	41
Padel tennis Partial and full circle sprinklers Parasol Perrot pop-up sprinkler Pickle ball separation Pipe anchor Post Playmate ball throwing machines Pull rope Practice aids Practice walls Prohibition signs	86, 87 18 45, 46 18 82, 83, 84, 85 84, 85 28, 29, 30, 35 64, 65 11 72, 73, 74 61, 62, 66 41
Quartz sand brooms	13
Ranking lists Ratchet tensioner Referee's chair Referee chair seat shells Rollers Roller scraper Round sprinkler Rubber rakes	41 39 44,45 45 20,21 6 18 6
Sandy sanding device Scissor suction cup Scoreboards School tennis Scraper wood Screens Scarli Screens Seat shells for grandstands Set indicator Shoe cleaner Shovel Signposts Single net supports Skipping ropes Snap hooks Small court tennis Softballs	20 17 42, 43Scraper 7 77, 78, 79, 80 7 52, 53 100, 101 52, 53 56, 57 42, 43 50 5 5 41 33, 35 74 74 77, 78, 79, 80 71

	Pa
Speciala Speedometer Sprinkler systems Special water scraper Sprinkler Sprinkler Sprinkler stand Showcase Sponge Spare parts for tennis net posts Sports benches Stands Stand seats Stripping nets Stripping carpet Suction roller special Surface planer Surface planer with net 9Sports radar Stage balls Stage children's tennis rackets Stage lines Steel wire broom Standard separating net Streetball equipment Support pole Super Clean	18, 18, 1 46, 47, 48, 58, 56, 8, 9, 10, 54,
Tennis balls Tennis ball collector Tennis lines Tennis nets Tennis nets Tennis nets Tennis court suction set Tennis court suction set Tennis court bench Tennis court bench Tennis court occupancy clock Tennis court toroom Tennis court troom Tennis court troom Tennis court sponges Tennis court sponges Tennis court sponges Tensioning set Tensioning set Tensioning set Tensioning set Tensioning set Training aids Training walls Transportable net system Trawls Trawl material Tripod folding stand Turbo broom Tutor ball throwing machine Twist	71, 68, 38, 24, 78, 79, 24, 25, 26, 28, 29, 30, 1 46, 47, 48, 12, 13, 12, 13, 26, 72, 73, 61, 62, 34
Uniplan Universal marking strips Universal play posts USP motorised rollers	
Volleyball	88, 89,
Waste bin Water dispenser Webbing Water hose	16, 32,
Wet shoe cleaning tray	
Wheelbarrow	
Wooden blocks Wooden handles	
Youth line	
Zagro motorised roller	











Turbo broom USP 10

The USP 10 turbo broom makes it easier for you to remove old brick dust in spring. Thanks to its low weight, the broom is easy to move. The V-belt drive enables left/ right movement, so even the corners of the tennis court can be removed cleanly. The USP 10 turbo broom is very versatile. For example, it can also be used for clearing leaves and snow from paths and car parks.

2

MADE IN GERMAN





Controlling the direction of rotation

Technical data:

Engine:Honda four-stropDrive unitManual driveSweeping brush drive:V-belt drive leftWorking width:approx. 90 cmTyres:Balloon tyresWeiht:83 kgTime required per court:approx. 40 min.No. 40161

Honda four-stroke engine approx. 5 hp. Normal petrol Manual drive V-belt drive left/right approx. 90 cm Balloon tyres 83 kg

Accessories:

No. 40165 Brush ring PVC double white No. 40164 Brush ring PVC/steel No. 40162 Swath former







Engine control unit

Clay Box

A combination of fiberglass-reinforced plastic and resin make this clay box very stable. The material is UV and weather resistant. Metal parts are stainless steel. Every clay box has a hinged lid. Color: grey, orange.

700 kg	550 Ltr. 134 x 99 x 78 cm	
1100 kg	700 Ltr. 134 x 99 x 96 cm	
1100 kg	700 Ltr. 134 x 99 x 96 cm	Material removal below
1500 kg	1100 Ltr. 163 x 121 x 101 cm	
2200 kg	1500 Ltr. 163 x 121 x 101 cm	Material removal below

4





Wheelbarrow Court Royal

This newly developed wheelbarrow for tennis sand should not be missed on any tennis court. Capacity 250 l, polyethylene synthetic bottom, 6 mm wall thickness, allround stable rim, break proof, high abrasion resistance and complete UV-stability, stable 1" tubular steel frame, phosphated and plastic-coated, reinforcing cross-bars for stable bottom, simple emptying via tube runners, ball bearings air tyres with pneumatic wheels, size 400 x 80 mm, load-carrying capacity 350 kg. **No. 401025**



Aluminum Multi-Purpose Shovel

To spread clay or to remove old material and leaves, complete with handle.No. 40101Size: 380 x 380 mmNo. 40100Size: 340 x 325 mm



Frankfurt Shovel 1]

Round shovel made of steel, painted red, oil-hardened with ashwood handle. No. 40099

Holstein Shovel 2]

Square shovel made of steel, painted red, oil-hardened with ashwood handle. No. 40098





Handle for ROYAL

Made of aluminum, Ø 22 mm, length 1,20 m (see page 14)* No. 411133

Handle for ROYAL

Made of wood, Ø 23 mm, length 1,46 m (see page 14)* No.. 411132

Wooden handle 28 mm

28 mm Ø, slightly tapered, 1.5 m long. For aluminum scraper, wooden rakes, aluminum rakes, plows. No., 40094

Wooden handle 24 mm

24 mm Ø, 1.5 m long. For rakes, rubber rakes, line sweepers, line guider, match liners, line brooms. No. 40091

*) Dimensions not binding



Drain Cleaner A

To clean drain gutters. 5 cm wide, complete with wooden handle. No. 40030

Gutter cleaner

Made of aluminum, collapsible, light construction, simple to handle. An essential tool for the groundkeeper for checking levels and finding hollows. Length 10 cm. No. 40033



Hand Leveler

Made of aluminum, with rubber blade. To wash in the top covering and clear puddles, 190 cm wide.

No. 40020

Spare rubber blade for hand leveler **No. 40021**



Rubber Squeegee

Steel bar with rubber blade. Specially intended for stone removal. Light leveling of loose courts and water removal on hard surfaces, 100 cm wide, handle included. **No. 40022**



Rubber Rakes

For fast removal of leaves and rubbish, without handle. No. 40090 50 cm wide No. 40089 75 cm wide

Wooden Handle Ø 28 mm for Rubber Rakes. No. 40094



Aluminium Clay Spreader To fill in holes and level irregularities, 100 cm wide, without handle. No. 40060

Wooden Handle Ø 28 mm for Rubber Rakes. No. 40094







Wooden Rake

Triangular beech wood, 70 cm wide with saw blade, without handle. No. 40040 Wooden Rake as above, though without saw blade.

No. 40042 Saw Blade for wooden rake. No. 40051


Wooden Handle Ø 28 mm

No. 40094



Aluminum Surface Profile Blade

To smooth out irregularities, without handle. No. 40080 80 cm wide No. 40081 150 cm wide





Dressing Spreader

Trapezoidal shaped aluminum section dressing spreader. Light and easy to handle yet robust for precise distribution of material over large areas, 190 cm wide, without handle. No. 40084

Wooden Handle Ø 28 mm No. 40094



Aluminum Plow

One side with steel band saw blade, the other side with solid profile, 70 cm wide. No. 40050

Saw Blade for plow No. 40051

Wooden Handle Ø 28 mm No. 40094



Aluminum Scraper

Double-sided tool, one side toothed to roughen surface, other side flat for spreading. 80 cm wide, without handle. No. 40070

Wooden Handle Ø 28 mm No. 40094




Special Rake

Made of stainless steel, corrosion-resistant, for professional smoothing of clay courts, 66 cm wide, without handle. No. 40083

Wooden Handle Ø 28 mm No. 40094








Hard PE Smoothing Mat

The newly developed Universal Sport aluminum profile perfects the long-standing concept of the drag mat hard PE and combiplaner. Due to the 15 x 20 cm individual segments a maximum flexibility of the whole application is given. The manifold scratch elements at the bottom side are ideal for rouphening the place and at the same time for smoothing the unevenness and cleaning from leaves without damaging the surface. Especially suited for Cannada -Tennis, artificial grass courts and clay courts. All used material is extremely weather resistant and low wear. Dimensions: 185 x 75 cm No. 41070

Combination Leveler

The newly developed Universal Sport aluminum profile perfects the long-standing concept of the drag mat hard PVC and combiplaner. This special tool combines the advantages of the drag mat Hard PVC and that of a drag net. The PVC front part opens and clears unevennesses and with the rear part of the heavy drag net the open places are smoothed again and scratched filth gets dragged along. All used material is extremely weather-resistant and low-wear. Working width: 185 cm No. 41079



Smoothing Mat Super Clean

This mat was developed to remove foliage, leaves, pine needles, etc. in an effective and quick way. This is possible through the smooting with the Super Clean drag net which leads to excellent court leveling. After the smoothing a shaking out of the net outside the court is sufficient. The net should be kept flat on the ground while using. Dimensions: 180 x 80 cm. Includes aluminum rail with drag cord.

No. 41077

Heavy aluminum pull rod to level the tennis court surface, special PVC fabric extra, double. Working width 190 cm. Net depth 75 cm with pull rope. No. 410309







Broom-Mat Platzfit 150

Combination broom and mat. Consists of a broom with plastic bristles and PVC drag net. Aluminum rail and handle. **No. 41071** working width 150 cm

Replacement Brushes 150 cm No. 410712

Broom-Mat Platzfit 200 Combination broom and mat. Consists of a broom with plastic bristles and PVC drag net. Aluminum rail and handle. **No. 41072** working width 200 cm

Replacement Brushes 200 cm No. 410710



Combined Broom

The new Combination broom and net. The top court equipment for clay and granular courts. Consists of a plastic/Arenga broom and PVC special net. Aluminum rail and handle.



Combined Hand Leveler

Combination hand leveler and drag net. The ideal tool for smoothing courts after sprinkling or rainfall. Due to the rubber blade and the drag net two operations are done in half the time. Fills unevenness and smoothes the court surface. **No. 41078** working width 190 cm



Coconut Smoothing Mat

Heavy-duty coconut mat with PVC edges 190 x 100 cm. Wooden rail with drag cord. No. 41060


Replacement Smoothing Mat Size 190 × 100 cm No. 41050 Special Smoothing Mat for Silica Sand 3 cm long coconut fibers, cast in PVC material. Complete with drag cord. Size 120 x 100 cm No. 40885

Replacement Special Smoothing Mat Size 120 x 100 cm

No. 40886


No. 41073 working width 200 cm Replacement Brushes 50 cm No. 40936






Aluminum Drag Net, Single PVC

One PVC-coated net 190 x 115 cm, with aluminum rail. Suitable for clay and shale courts. No. 40980




Aluminum Drag Net, Special Single One Extra-PVC fabric net with aluminum rail and drag cord. Working width 190

cm, depth 150 cm. No. 410301



Aluminum Drag Net, Double PVC

Two PVC-coated nets 190 x 115 cm, with aluminum rail. Suitable for clay and shale courts. No. 41010



Aluminum Drag Net, Special Double Two special-PVC fabric nets with aluminum rail and pull-handle. Working width 190 cm, depth 150 cm. No. 410302



Uniplan Exclusiv Court Royal

The new drag net of a special kind. Special PVC fabric extra, double with working width of 75 cm. Made for all kinds of sand courts. Developed with the expertise of customers for customers. Working width 190 cm, depth 75 cm. **No. 41024**








Wooden Drag Net, Single PVC

One PVC-coated net 190 x 115 cm, with wooden rail. Suitable for clay and shale courts. No. 41021



Wooden Drag Net, Double PVC

Two PVC-coated nets 190 x 115 cm, with wooden rail. Suitable for clay and shale courts. No. 41020



Wooden Drag Net, Special Single

One special PVC fabric net 190 x 150 cm, with wooden rail. Suitable for clay and shale courts. No. 41030



Wooden Drag Net, Special Double Two special PVC fabric nets 190 x 150 cm, with wooden rail. Suitable for clay and shale courts. No. 41041


Aluminum Rail Width 190 cm, complete with drag cord. No. 40990





Drag Net Material PVC

Width 1.15 m. Total length o	of the roll 130 m. For drag
net self-assembly.	
No. 41001	per m
No. 410011	per piece á 2 x 1.15 m



Drag Net Material Extra Width 1.50 m. Total length of the roll 30 m (45 sqm). or drag net self-assembly. No. 41031 sqm No. 410331 per piece á 2 x 1,5 m

Wooden Rail

Triangular wood, pre-drilled with screws. 190 cm, complete with drag cord. **No. 40992**



Our wooden drag rail are made from torsion-free red pine wood patios. More than 150.000 been produced.



Pull Handle



Aluminum pull handle compatible with all tennis court brooms, broom-mats and wooden drag nets.

Drag Cord 3.5 m long with spring hooks. No. 41002





200

No. 40920

Universal Steel Wire Broom slim

For scratching the court surface and removing leaves from court. Ideal device for spring, season and autumn. Light design with aluminum rail and drag cord. 200 cm width

No. 40925


Replacement Broom 200 cm No. 40926

Tennis Court Broom

With long, narrow bristles. Wide aluminum bracket and frame, 200 cm width. No. 40943 Plastic No. 40942 Arenga

Replacement Brush 200 cm

No. 409430 Plastic No. 409420 Arenga



Granu-Top Broom

This is the perfect broom for cleaning granular surfaces. The bent ends of the broom and the position of the bristles guarantee an even spread of granules. The static supercharge cleans debris abraded from the balls and lint from the surface. Complete with aluminum handle and weights on both ends. Working width 200 cm.

No. 41076



ces overgrown with moss. Ideal equipment for the work in spring. Should not be

mis-sing on each tennis court. Heavy model including aluminum pulling handle.

width

cm

Tennis Court Broom I

With long, narrow bristles. Easy handling due to the adjustable pulling handle. Aluminium frame, 270 cm width. No. 40950 Plastic No. 40940 Piassava

Replacement Brush 135 cm

No. 40970 Plastic No. 40960 Piassava




Broom for Granular Surfaces

Broom with Arenga bristles for hall floors with rubber granular. The special position of the bristles guarantees an even sliding of the broom. Complete with a very sturdy aluminum handle in three parts. Working width 200 cm. No. 41075

Replacement Brush for Granu-Top No. 410761





With four replaceable broom parts in aluminum frame, complete with aluminium pulling handle, 200 cm width. No. 40870

Replacement Brush Arenga black

No. 40900 50 cm



Universal Tennis Court Broom Plastic white

Smoothing broom with 4 replaceable broom parts is the ideal maintenance device or clay courts. The aluminum base frame has net guards on each side. Complete with a two-part, sturdy aluminium pulling handle, width 200 cm. No. 40865

Replacement Brush Plastic white

No. 40864 50 cm



All-Weather Smoothing Broom

The newly developed 200 cm width smoothing broom with 4 replaceable broom parts is the ideal maintenance device for clay courts. The brush section consists of two rows of plastic bristles and three rows of Arenga bristles. The plastic bristles at the front loosen the material, the Arenga bristles at the rear distribute the loosened material evenly over the court. The aluminum base frame has net guards on each side. Complete with a two-part, sturdy aluminum pulling handle. No. 40935

Replacement Brush

No. 40936 Plastic / Arenga 50 cm

The 200 cm width smoothing broom with 4 replaceable broom parts is the ideal maintenance device for clay courts. The aluminum base frame has net guards on each side. Complete with a two-part, sturdy aluminium pulling handle. **No. 40860**

Replacement Brush Plastic red

No. 40890 50 cm




Tennis Court Broom Special

Four replaceable plastic broom parts in aluminum frame, two additional weights to stop the broom from hopping or jumping, 200 cm width. Complete with aluminium pulling handle. No. 40862

Replacement Brush Special

No. 40864 50 cm



Tennis Court Broom for Quartz Sand Plastic yellow

The Smoothing Broom with 4 replaceable broom parts is the ideal maintenance device for quartz sand courts. The aluminum base frame has net guards on each side. Complete with a two-part, sturdy aluminum pulling handle, width 200 cm and yellow plastic bristles. **No. 40881**

Replacement Brush Plastic yellow

No. 40883 50 cm

13







Line Brush TOP

Sturdy plastic-coated aluminium handle with joint. Brush with high-quality bristles. No. 41134 Arenga (soft) No. 41137 Plastic (hard)

Replacement Brush TOP

No. 41135 Arenga (soft) No. 41138 Plastic (hard)

Line Brush I without handle

No. 41100 Plastic No.. 41110 Arenga

Wooden Handle

Ø 24 mm, length 1,5 m. **No. 40091** MADE IN GERMANY

Aluminum Handle ROYAL No. 41128

Wooden Handle ROYAL No. 41129

> BRAND NEW



Hand Broom ROYAL

Molded plastic body with low-wear bristles. Exclusive model with joint made of environmentally friendly recycled plastic. The ideal line broom with long durability. **No. 41113** without handle

Cr B

Wooden Handle for ROYAL No. 411132

Aluminum Handle for ROYAL No. 411131



Court





Line Lightning Sweeper

Perfected, well-designed line cleaner for all surfaces, especially clay, shale and rubber granule surfaces. All parts replaceable. Without handle. No. 41081

Replacement Sweeper Blades No. 41084

Replacement Rolls No. 41085

Replacement O-ring set of four No. 41086

Bracket No. 41088

Replacement Wheels set of two No. 41089

Line Master

This new line cleaning machine is the best-seller in the USA. The friction-wheel drive, powered by the solid rubber wheels, pins the plastic brush to clean lines quickly and easily. Robust aluminum case with ergonomically shaped handle. **No. 41087**

Match Liner


This line sweeper is unsurpassed in price and handling. Well thought-out, smooth-running construction made of weather-resistant and abrasion-resistant materials. When the drive wheels roll, the brush is driven in the opposite direction, ideal for all types of tennis lines. Without a handle. Brush width 4 cm or 5 cm

No. 41082 4 cm No. 41092 5 cm

Replacement Brush

No. 41083 4 cm No. 410921 5 cm Wooden Handle 24 mm No. 40091

Court



Drag Net Double Holder

The newly developed double drag net holder for ideal storage of smoothing and drag nets. Made of aluminum tubing with two hooks and a fixing bracket for fence posts with Ø 60 mm. The holder is coated in yellow plastic and therefore easily visible. No. 41434



Special sponge roller Innovative maintenance

device the tennis court in the tenniscourt from water puddles in the

shortest possible time. Thanks to the specially designed surface structure, the sponge roller has an enormous suction volume. In addition, sand or other materials do not stick. With the handles provided for this purpose, the sponge can be squeezed out in a vertical position in a matter of seconds. Suitable for brick dust, quartz sand or hard court surfaces. - Sponge width approx. 500 mm

NFи

- Sponge diameter approx. 230 mm
- Weight 4.9 kg
- No. 41185



Tool Holder

Zinc-plated steel, fixing bracket with standard hook. To hang brooms, drag nets and smoothing mats. No. 41430 Ø 45 mm No. 41440 Ø 60 mm







Drag Net Holder

Made of galvanized flat iron, 3 mm thick, includes fixing materials for trouble-free assembly on fence post. No. 41443



Handle Holder

For all equipment with a broom handle diameter of 23-28 mm. The rubber holder holds the handle securely.

No. 414321



Hand Brush Holder

Fixing bracket with 2 hooks for hanging hand brushes. Made of steel, for fence post with 60 mm Ø. No. 41433



Fixing clamp with 1 hook. For brooms, drag nets and smoothing mats. Made of zinc-coated steel, for fence post with 60 mm Ø. No. 41431





Rubber Squeegee "Dry Court" W Made of aluminum, 145 cm wide, replaceable rubber blade, 2 durable wheels in front. Easy and convenient for water removal and ball collection. Works especially well around pools, on driveways, golf greens and any flat or hard surfaces. Comes with one blade for replacement. No 41183

Replacement Rubber Blade No. 41184

Universal Absorbing Roller Special

Absorbing drum with foam rubber covering, hot-galvanized frame and drum body. Thanks to the huge absorbent capacity of this roller it is possible to make a court playable again in a very short period of time. Working width 80 cm. No. 41141

Replacement Absorbing Drum

No. 41150 **Replacement Sponge with adhesive** No. 41151







Full-circle Sprinkler

Large surface sprinkler with a circle diameter of 32 m, thus sprinkling a total area of 800 sqm. Connection 3/4". Without tripod. No. 41322





Part-Circle and Full-Circle Sprinkler

Large surface sprinkler with a circle diameter of 32 m, thus sprinkling a total area of 800 sqm. Working area can be adjusted from 20° to 340°, or full-circle. Connection 3/4". Without tripod. No. 41321

Circular Sprinkler

Large-area sprinkler with a circle diameter of 32 m, thus sprinkling a total area of 800 sqm. Without tripod. No. 41320

Perrot - Turbo Quadrilateral Sprinkler Triton SW

Single-jet oscillating lever sprinkler with hot-dip galvanized steel housing, galvanized steel-plastic coated perimeter plate and impact- and break-resistant plastic housing cover. 22° stream rise and stream disrupter to vary the throw side and water distribution. Polyamide guide housing with brass stabilization. **No. 41331**

Folding Tripod

Specially developed for the tennis court. Large foot disks prevent damage to the court surface. Folding mechanism makes it easy to handle and to store in small places. Suitable for all types of sprinklers in our catalog. No. 41323







Spray Nozzle

Large nozzle sprinkles evenly over large areas. Complete with Geka connection and tube. No. 41340



Pistol Spray Nozzle

Large nozzle sprinkles evenly over large areas. With a pistol grip. Optimum adjustment of sprinkling with shut-off device. No. 41360



Spray Nozzle with Shut-Off Valve

Large nozzle sprinkles evenly over large areas. Complete with Geka connection and tube. With shut-off valve. No. 41350



Adjustable Nozzle

Made of light alloy metal with hard PVC steel tube. Metal ball valve lever and spray adjuster. Jet length approx. 15 m. Complete with Geka connection. **No. 41361**



Water hose SMARTFLEX SMT Comfort

S-ply PVC quality hose, UV and ozone resistant, free from algae formation, without plasticisers, high-strength polyester yarn with patented SMT Steady Mesh Technology that actively prevents the hose from twisting.

Properties: extremely easy to handle, excellent flexibility even at low temperatures, high resistance to kinking and crushing. [Temperature -15° to +65°] Applications: for irrigation of tennis courts and sports facilities.

No. 41372 25 m 3/4" No. 41373 50 m 3/4" No. 41375 25 m 1" No. 41376 50 m 1"



Geka adapters, brass No. 41391 3/4" No. 41401 1"

Connectors, brass with Geka No. 41402 3/4" No. 41404 1"

Hose clip set of 10 pieces For water hose up to 2" No. 41403 Gaskets for Geka set of 10 pieces No. 41342

Gaskets for internal thread set of 10 pieces **No. 41405** 3/4" **No. 41406** 1"

Gaskets for spray nozzle set of 5 pieces No. 41341







SANDY - Sanding machine

The SANDY sanding device has been thoroughly revised and now makes new sanding during spring repairs even easier and more effective. 2 helpers for material replenishment and approx. half an hour's work are sufficient to apply a carpet of brick dust evenly and in a single operation.

Sandy can be moved effortlessly by hand and holds approx. 120 kg of fresh brick dust. With dimensions of approx. $1000 \times 500 \times 600$ mm and a net weight of approx. 50 kg, it is very easy to handle. Working width 990 mm.

The functional sand spreader was developed by experts and has proven itself in practice on a number of sites. The fresh brick dust carpet is no longer driven over after application. Even on uneven surfaces, you can achieve a completely smooth surface that then only needs to be treated with the trawl. No. 40142

Tenis court tiller USP 10

With this special milling machine, spring overhauls are carried out in the shortest possible time.

Previously, the used brick dust had to be removed by hand. This often resulted in too little material being removed. Tennis court surfaces became thicker and more impermeable. With the USP 10 tennis court milling machine, these problems are overcome effortlessly! The exact height is adjusted by hand using 2 wing screws. Adjustment is possible on both sides independently of each other. This device allows the tilling depth to be determined with millimetre precision. The milled material is ejected in strips and can be shovelled into wheelbarrows with little effort. The power of the 5.5 hp Honda engine ensures that work with the USP 10 tennis court tiller is absolutely even. Thanks to a comprehensive service network, maintenance and repair of the quietly running engine is guaranteed everywhere. The USP 10 tennis court tiller rolls on 2 independently mounted roller bodies at the front. This distributes the pressure evenly so that it hardly sinks in, even on thawed courts in spring. The rear, treadless solid rubber wheels and the low weight make the machine extremely manoeuvrable and mobile. The USP 10 tennis court tiller fits through any access door and can easily be operated by one person.

Technical data:

- Length approx. 800 mm Width approx. 850 mm Height approx. 1000 mm
- Milling width approx. 655 mm Weight approx. 75 kg

- Honda engine, 4-stroke, 4.0 kW/5.5 hp

No. 40140

Hand roller I Spezial

Suitable for tennis courts and sports fields. Working width 90 cm. Empty weight 60 kg, with water filling 180 kg, one-piece roller body with rounded edges and counterweights. **No. 40170**

Hand roller I

As above, but without counterweights. No. 40171

Hand roller II Spezial (s. Abbildung nebenstehend)

As above, but much more manoeuvrable due to the split roller body. No. 40180

Hand roller II As above, but without counterweights. No. 40181





Motorised roller USP two-part

LEASING

The USP tennis court rollers in proven design and quality with new panelling, improved once again. With two-part roller body and equalising differential for better turning of the roller. The mechanically turned, smooth roller body characterises the USP motor roller. The 900 mm wide trailing roller prevents the roller from sinking into the tennis surface.

Better noise insulation and the biodegradable hydraulic oil are unrivalled. are unrivalled.

Technical data:

Engine: Honda GX 160, four-stroke engine 4.0 kW = 5.5 hp at 3600 rpm. Electronic, contactless ignition, oil warning control system, smooth running, Intake noise insulation

Easy start due to automatic decompression system

Fuel: unleaded regular petrol

Drive: hydraulic

Roller: two-piece, 900 mm wide, with differential

for high manoeuvrability, diameter Ø 500 mm Speed: stepless up to approx. 5 km/h; forwards and backwards

Working width: 900 mm

Weight: empty approx. 350 kg, filled approx. 480 kg Dimensions: length: 1800 mm, width: 985 mm, height 1100 mm **With biodegradable hydraulic oil!**

No. 40136

Motor Roller Zagro FUTURA -Self-Driving

Mount motor roller with a swivelling seat, rubber-coated, broad drive front wheel, split roller body with compensation differential for high maneuverability. Simple and easy rolling on the tennis courts.

Technical data:

Motor: Fuel: Drive: Roller: Speed:

Working width: Weight: Dimensions: No. 40152

the second

Honda GX 160, 4-stroke engine 4,0 kW at 3600 U/min. unleaded gasoline hydraulic drive single-piece or split; width 900 mm, Ø 508 mm infinitely adjustable to approx. 6 km/h, forward / reverse 900 mm empty ca. 380 kg, full ca. 510 kg length: 1800 mm, width 990 mm, height: 1050 mm





Court

Cours







Advantage for COURT ROYAL Tennis Nets

With our COURT ROYAL brand, we have been one of the world's leading manufacturers of high-quality tennis nets for all levels of ability, from club sports to international ATP professional tournaments, for over 38 years. Our nets are exclusively hand-knotted and, with the associated elasticity, offer above-average durability. In addition the nets offer an optimal bounce off behaviour. All tennis nets from our large range are supplied with steel ropes, have the seal for "tested safety" and meet the strict requirements of DIN EN 1510.





00

Tennis Net Court Royal TN 8

Made of 2 mm braided polyethylene, hand-knotted, black, stable polyester net enclosure stitched four times, complete with steel wire. DIN EN 1510. With European Seal of Approval. No. 40549 black

Tennis Net Court Royal TN 15 black

Made of 3.2 mm braided polyethylene, black, handknotted, the upper 6 rows double- knotted, stable polyester net enclosure stitched 4 times. A super tennis net, long-lasting, good quality. Complete with steel wire. DIN EN 1510. With European Seal of Approval.

No. 40550 black





19.

Courtingat

Tennis Net Court Royal TN 20 black

Made of 3.4 mm braided polyethylene, black, handknotted, the upper 6 rows dou- ble-knotted, stable polyester net enclosure stitched four times. 1000 times proven, classic tennis net. Used in the tennis league, ATP-tournaments, Davis-Cup, as well as in the Olympics. A top-class product. Complete with steel wire. 2 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval. **No. 40560** black

Intertek





Court Gal





Tennis Net Court Royal TN 9

Made of 3.4 mm braided polyethylene, hand-knotted, black, stable polyester net enclosure stitched 6 times, complete with plastic-coated steel cable. Sides and bottom with heavy, black plastic edging as well as two 10 mm strong fiberglass rods for lateral fixing. Long-lasting and very durable. 3 years factory warranty on the netting. DIN EN 1510. With European

Tennis Net Court Royal TN 15 green

Made of 3.2 mm braided polyethylene, green, handknotted, the upper 6 rows double- knotted, stable polyester net enclosure stitched 4 times. A super tennis net, long-lasting, good quality. Complete with steel wire. DIN EN 1510. With European Seal of Approval.

. No. 40552 green







Tennis Net Court Royal TN 20 green

Made of 3.4 mm braided polyethylene, green, handknotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched four times. 1000 times proven, classic tennis net. Used in the tennis league, ATP-tournaments, Davis-Cup, as well as in the Olympics. A top-class product. Complete with steel wire. 2 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval. No. 40570 green

Intertek









Tennis Net Court Royal TN 90 black

Made of 3.8 mm braided polyethylene, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched four times, complete with plastic-coated steel cable. Sides and bottom with heavy, black plastic edging, as well as 10 mm strong fiberglass rods for lateral fixing. Long-lasting and very durable. A tennis net in a special class. 3 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval. **No. 40610** black




Tennis Net Court Royal TN 30 Made of 3.8 mm braided polyethylene, hand-knotted,

Made of 3.8 mm braided polyetnylene, hand-knotted, the upper 7 rows double-knotted, stable polyester net enclosure stitched 6 times, complete with plastic-coated steel cable. Sides and bottom with heavy, black plastic edging as well as two 10 mm strong fiberglass rods for lateral fixing. Long-lasting and very durable. 3 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval. **No. 40548** black



Intertek





Tennis Net Court Royal TN 50 Tournament

Made of 3.5 mm braided polyethylene. Hand-knotted, the upper 7 rows double-knotted, very stable polyester net enclosure stitched four times. Complete with plastic-coated steel cable. 2 years warranty on the netting. Mesh size 4 cm, prevents balls becoming stuck in the net. DIN EN 1510. With European Seal of Approval.

No. 40565 black









Tennis Net Court Royal TN 90 green

Made of 3.8 mm braided polyethylene, hand-knotted, the upper 6 rows double-knotted, stable polyester net enclosure stitched four times, complete with plastic-coated steel cable. Sides and bottom with heavy, black plastic edging, as well as 10 mm strong fiberglass rods for lateral fixing. Long-lasting and very durable. A tennis net in a special class. 3 years factory warranty on the netting. DIN EN 1510. With European Seal of Approval. **No. 40611** green





Deluxe Tennis Net Court Royal TN 200

Made of approx. 5 mm polyester fabric with a black plastic cover. Stable edging with steel cable. Very long life. An almost indestructible tennis net. 5 years factory guarantee on the mesh fabric. GS-tested according to DIN EN 1510. **No. 40580** black







Made of 3.4 mm braided polyethylene. Handknotted, the upper 7 rows double-knotted, very stable polyester net enclosure stitched four times. Complete with plasticcoated steel cable. 2 years warranty on the netting. Mesh size 4 cm, prevents balls becoming stuck in the net. DIN EN 1510. With European Seal of Approval. **No. 40566** black













urt 🚫 🤊





No. 404401 green powder-coated Delivery without ground sleeves No. 404451 white powder-coated Delivery without ground sleeves No. 404461 black powder-coated Delivery without ground sleeves

Courthoyat

No. 404481 blue powder-coated Delivery without ground sleeves







Round post ø 73 mm made of green plasticcoated aluminum. Special profile with three compartments, very sturdy with screw-on gear wheel mechanism of aluminum. Net holding rod and all screws and hooks are made of VA steel. Delivery without ground sleeves. No. 40422 green

No. 404221 black

Gound Sleeves 73

Ground sleeves for 73 Ø mm post No. 404281



Tennis Net Post USA, Steel 76

76 mm Ø galvanized steel, green powder-coated. With brass gear mechanism, stringing block and a removable crank. Ground sleeves not included. Meets the European DIN EN 1510 safety standard. **No. 40425**

Gound Sleeves 76

Ground sleeves for 76 Ø mm post. **No. 40428**





Tennis Net Post Steel TP 76

Round post Ø 76 mm made of green plasticcoated steel pipe with screw-on aluminum gear wheel mechanism with brass rope castors. Removable crank, net-holding straps and net hooks fully welded. Delivery without ground sleeves. **No. 40427**

Gound Sleeves 76

Ground sleeves for 76 Ø mm post. No. 40428



Tennis Net Post USA, Steel 80

80 x 80 mm galvanized steel, green powder-coated. With brass gear mechanism, stringing block and a removable crank. Ground sleeves not included. Meets the European DIN EN 1510 safety standard. No. 40424

Ground Sleeves 80 x 80

Ground sleeves for 80 x 80 mm post. **No. 404311**









Spare parts for tennis net posts

1 Ground sleeve 80 x 80 mm No. 40431 ² Ground sleeve 83 mm Ø No. 40401 ³ Cover for Ground sleeve 80 x 80 No. 40450 Cover for Ground sleeve 83 Ø No. 40420 **5** Tensioning mechanism No. 40405 Key for tensioning mechanism No. 40404 7 Net holding rod No. 40402 Set of screws, eight eye bolts, eight groove sliding blocks and two net hooks No. 40403 Cap for blind post 80 x 80 No. 40416

- 🔟 Cap for mechanism post 80 x 80 mm
- No. 40415
- Cap for blind post 83 mm Ø
- No. 40407
- Cap for mechanism post 83 mm Ø No. 40406
- Net repair cord 20 m, 3 mm No. 40653 Poly black
- Net repair cord 20 m, 3 mm Nr. 40654 Poly green
 Ground sleeve76 mm Ø Nr. 40428 (without illustration)



Mechanic for Tennis Posts

This winding gear mechanism can be attached with 2 M8 screws at each post. Holes pre-drilled and M8 thread cut.

No. 40429 green No. 404291 black












Courteogat










Used in an aircraft hangar at the official ATP Tennis Tournament in Berlin, in July 2020.



Tennis Net System Court Royal II Tournament

This newly developed tennis net system is a unique top-class product; it differs from conventional systems through simple modification from double court measurements to single court measurements. Will be delivered in 5 parts. For single court usage the middle part has to be removed and a single net has to be mounted. Delivery is without net, single net rods and center strap. Here we recommend tennis net Court Royal TN 50 No. 40565 (page 28) for doubles and tennis net Court Royal TN 55 No. 40566 (page 29) for single as well as Center Strap II No. 40710 (page 34), weight: 165 kg. No. 40485 white

No. 404851 black



Nets + Accessories





Additional Weights for ATP, WTA and Davis-Cup No. 404901 white (1 set has 4 weights à 10,5 kg) No. 404904 black

Centerstrap II T Made of nylon with adjustment loops, without snap hooks. No. 407101

The Court Royal special adapter makes all posts fit!

Court Royal folding tennis net post

This post is used when there is no depth for ground sockets. It is attached with a 10 mm steel dowel and a screw. The 80 x 80 mm aluminium post is held in place by a forward support on the hot-dip galvanised base bracket. The design corresponds to our Royal TP 80 tennis post. No. 40470

Special adapter for tennis net posts

Made of hot-dip galvanised steel. You have installed a ground socket profile in the ground, which does not fit a standard post? Then the adapter is the ideal solution. Please specify the diameter of the ground sockets and insertion depth. You can choose any post from our range, round or square - aluminium or powder-coated in colour. Suitable for the articles: 404001 / 404101 / 404111 / 404471 / 404301 / 404401 / 404451 / 404461 (page 28 and 29) **Nr. 404801**







Service State

THE

Marking Strips with Perforations, Universal

The newly developed line with recess is ideal for simple self-installation without nails. Very good grip due to reinforce and extended barbed legs. Non-slip surface, excellent ball bounce behavior. A set of of 4 cm and 5 cm consists of 85 rods à 4 cm and 8 rods à 5 cm, each 1,60 m long. A 5 cm set consists of 93 rods of 5 cm, 1,60 m long. Each set contains 100 T-connectors.Complying with international regulations.

No. 40290 4 + 5 cm No. 40291 93 lengths 5 cm



Replacement Marking Strips with Perforations

Complete with connectors. Set of 10 lengths, each 1.60 m No. 40292 4 cm No. 40293 5 cm

T-connectors

100 per set No. 40301



Iso-Line

Anti-frost line covering. Protection against frost and other extreme weather conditions. Polyethylene 150 mm wide, 8 mm thick, set consists of three rolls, each 50 m. The tape should be weighted down with stones every 30 cm. No. 40341



Marking Line I

Installation requires only a few nails (nails not included). Set consists of 3 rolls, each roll 50 m. No. 40200 4 cm

Only available in complete sets.

Fastening Nails

Rounded, flat-head, hot-dip galvanized. Specially made for tennis lines. 5 kg required for each court. No. 40310

Treated Wooden Pegs

For securing the corner points. 16 pegs required for each tennis court. No. 40330



Tennis court line Speziala 50 m 5 cm No.. 403753 50 m







Tennis Line Speziala / Court Plus

This tennis line has been developed especially for clay courts. Made of flexible, hard PVC. With 4 mm wide lateral slits, at 28 mm intervals. The lines for double courts are supplied in 6 rolls. Hard PVC and lateral slits allow the lines and court surface to interlock perfectly. The lines are anchored with 18 ground plugs per court, which are included with all line sets. The installation of the lines can be carried out by only 1 person. Please choose the lines with the appropriate anchoring set for your needs.



Tennis Line Speziala I / Court Plus I

Includes 18 anchor tube ground plugs 4 rolls, each 24 m - 4 cm width / 1 roll, 22 m - 4 cm width / 1 roll, 17 m - 4 cm width / 1 roll, 13 m - 5 cm width **No. 40365**

Tennis Line Speziala II / Court Plus II

Includes 18 anchor tube ground plugs 4 rolls, each 24 m - 4 cm width / 1 roll, 22 m - 5 cm width / 1 roll, 30 m - 5 cm width **No. 40366**

Tennis Line Speziala III / Court Plus III

Includes 18 anchor tube ground plugs 4 rolls, each 24 m – 5 cm width / 1 roll, 22 m – 5 cm width / 1 roll, 30 m – 5 cm width **No. 40367**

Speziala 40 mm - Replacement Roll

No. 4037417 mrollNo. 40374022 mrollNo. 40374124 mrollNo. 40374250 mroll



Speziala 50 mm - Replacement Roll

 No. 40375
 13 m
 roll

 No. 403750
 22 m
 roll

 No. 403752
 24 m
 roll

 No. 403751
 30 m
 roll

 No. 403753
 50 m
 roll



Court Plus Anchoring Set Consists of: 18 fixing clamps, rustproof No. 403530 **Fixing Clamps**

Made from stainless steel. For better anchorage of the corners. Fits to all Speziala sets. No. 40353



Ratchet Tensioner

No. 40371

Galvanized tensioner with special belts.

Drive-in Peg for Anchor Tube

Made of steel. In order to avoid damages while bashing the ground anchors, it is highly recommendable to use the drive-in-peg for anchor tubes. No. 40376

Anchor Tube Ground Plug No. 40373

Anchor Tube Floor Dowel made from stainless steel No. 403730



Speziala Anchoring Set I

Consists of: 18 stainless steel tubular anchors, 16 pieces with 4 cm anchors and 2 pieces with 5 cm anchors. No. 403760

Speziala Anchoring Set II

Consists of: 18 stainless steel tubular anchors, 8 pieces with 4 cm anchors and 10 pieces with 5 cm anchors. No. 403761

Speziala Anchoring Set III

Consists of: 18 stainless steel tubular anchors, 18 pieces with 5 cm anchors. **No. 403762**

Tubular Anchor No. 40372

End Fastener No. 40358 4 cm No. 40359 5 cm

Courses Courses Courses

Court



Line Stamper

Made of plastic-coated steel. Heavy duty design to stamp in the marking lines, weight 5,6 kg. **No. 40380**

Line Stamper 2

Made of steel, plastic-coated with flexible shock absorber to stump in the marking lines. Weight 9,2 kg. **No. 40381**



Marking Trolley for Tennis

New product developed for children's tennis, spreading width approx. 50 mm. No. 45005

Chalk for Tennis Courts

5 kg in pail No. 45009



Line Roller

This roller is ideally suited for rolling in tennis court lines. The heavy weight of approx. 65 kg and the roller width of 10 cm ensures that the line is pressed in quickly and neatly. No stamping required. **No. 40384**

Chalk Spray

Mipa chalk spray is ideal for touching up markings on the tennis court. The spray is a special paint that dries quickly and is environmentally friendly. It can also be easily used as a temporary marker in parking lots or other areas. The marking wears off automatically depending on weather conditions and use. In this set you get 2 bottles with 750 ml. To mark a tennis court completely, you need 2 bottles. **No. 40522** mipa

eide







No Sand Shoes Sign Size 300 x 300 mm. white plastic board. No. 41283



Court Closed Sign

Size 300 x 200 mm, white plastic board. No. 412431



Match Timer The new tennis court booking clock with integrated court number, made of weatherproof plastic. Can be set to 1 hour for singles or 1 1/2 hours for doubles.

Size 24 x 32 cm. No. 1-12 available. No. 41249



Sweeping Illustration Sign Size 330 x 500 mm, white plastic board. No. 41242



Tennis Court Reservation Clock Each player can set the clock by hand for the period he wants to book the court. Size: 40 x 40 cm No. 41910

TENNISPLATZ-ORDNUNG

- Tennisplatz rur mit Tennisschuhen und entsprechender Kleidung betreten.
 Der Platz muss freigegeben und spielfähig sein.
- Bei trockenen Plätzen muss der Platz ganzflächig vor Spielbeginn beregnet werden.
- werden. 4. Nach dem Spielen Platz abziehen bzw. abfegen. (Nur mit weichem Besen, Netz oder Teopich). 5. Linien säubern mit Kehrmaschine oder Handbesen.
- Benutzte Geräte wieder ordnungsgemäß wegstellen bzw. hinhängen.
- Wenn jedes Mitglied diese 6 Punkte beachtet, haben alle einwandfreie, spielbereite Tennisplätze.




Sign for Court Rules

White plastic board with sweeping illustration. No tennis court should be without this sign. Size 500 x 330 mm. No. 41241 German No. 412401 English



Tennis Court Numbers

White plastic board with black numbers from 0 - 9, size 300 x 200 mm. No. 41250




Pyramid ranking list I

Sturdy sheet metal panel, galvanised and braced in an aluminium frame. Printed on weather-resistant PVC film. Size 68 x 50 x 2.5 cm. No.. 41970







Court Royal Pointer Heavy II

The new generation of the Court Royal Pointer II is a further development in quality and functionality to an attractive price. The fully-moulded and deep-drawn 4 mm ABS plastic plates are very robust, weather-resistant and non-fade. 6 stable easily rotatable, non-adherent turnables with 7 cm high, clearly legible numbers are hallmarks of this top product. The Court Royal Pointer can be displayed on both sides and due to its improved design with Home and Guest, it has a better clarity. Easy attachment to the fence by included special fixing.

Size: 46 x 60 cm with 7 cm high numbers. **No. 40832** blue

No. 40832 blue No. 40838 green

No. 40839 white


Court Royal Pointer Heavy II, freestanding

The new generation of the Court Royal Pointer II is a further development in quality and functionality to an attractive price. The fully-moulded and deep-drawn 4 mm ABS plastic plates are very robust, weather-resistant and non-fade. 6 stable easily rotatable, non-adherent turnables with 7 cm high, clearly legible numbers are hallmarks of this top product. The Court Royal Pointer can be displayed on both sides and due tits improved design with Home and Guest, it has a better clarity. Stable, fillable with sand plastic base with aluminum rods for fixing the Court Royal Pointers.

Size: 46 x 60 cm with 7 cm high numbers. No. 408321 blue No. 408381 green No. 408391 white

Court





Match Pointer Scoreboard

With 6 adjustable disks for 3 set scores. Display on front and back. Clearly laid out, easy-to-read design. Sturdy, weather-resistant constuction from light-resistant plastic and rust-proof hardware. Easy mounting on fence or net, complete with fence mount. International version: Local/Visit

Model Super Big international

Size: 65 x 96 cm with 12 cm high numbers **No. 408151**

Model Super international

Size: 56 x 80 cm with 10 cm high numbers **Nr. 408141**

Model Big International

Size: 46 x 65 cm with 8 cm high numbers **No. 408161**

Model Little International

Size: 35 x 50 cm with 6 cm high numbers No. 408171





Match Pointer Scoreboard Free-Standing

With 6 adjustable disks for 3 set scores. Display on front and back. Sturdy aluminum stand with support bar and fillable plastic foot.

Model Big green

Size: 46 x 65 cm, with 8 cm high numbers **No. 40818**

Model Super Big green

Size: 65 x 96 cm, with 12 cm high numbers No. 40819



Spare number disksOne set contains 6 disksNo. 40811Model Little6 cm numbersNo. 408110Model Big8 cm numbersNo. 408115Model Super10 cm numbersNo. 408111Model Super Big12 cm numbers

O 3 GASTE SPIELE SPIELE SPIELE SPIELE SPIELE SPIELE SPIELE SPIELE SPIELE SPIELE

Scoreboard Umpire Chair

To mount on all umpire chairs. Display on front and back. The umpire flips over a card after each game. Complete with mounting hardware. No. 408305



Scoreboard

This practical scoreboard is simply placed over the net. The numbers are flipped over to show the score from both sides. From 0 - 9, size 11 cm, incl. bag. Size: 15×18 cm No. 40835





Intertek 🗲

Court Royal Deluxe This aluminum umpire chair with European Seal of Approval DIN EN 131,

meets the highest standards. The ladder with its especially wide slipproof rungs, as well as the projecting supports with four base plates, gives this chair optimum stability.

The middle plate between the ladder and the supports provides extra durability. The seat mount has an extra crossbar behind the red, UV-resistant body-contoured seat.

Seat height 1850 mm, correspond to ITF, ATP und WTA Standard. No. 40809

mount has an extra crossbar behind the red, UV-resistant bodycontoured seat. Seat height 1850 mm, correspond to ITF, ATP und WTA Standard. No. 40800





No. 408088 black



Advertising Umpire Chair Court Royal Deluxe Grand Slam

This heavy duty chair is ideal for advertising with 2 side panels of 10 mm PVC and 3 mm panels between steps. Plastic-coated aluminum base with UV-resistant seat and PVC table. Supplied without advertising. Supplied in standard color white, also available in green or other RAL colors on request.

No. 408101 white No. 408103 black

4-color digital printing

Please provide file for printing. No. 407934

Advertising Umpire Chair Court Royal Deluxe Grand Prix

Plastic coated aluminum chair with UV-resistant seat and PVC table, ideal for advertising. Base frame with two side panels of 10 mm PVC. Supplied without advertising. Supplied in standard color white, also available in green or other RAL colors on request. No. 408100 white

4-color digital printing


Please provide file for printing. No. 407941



Writing board white, 530 mm x 15 mm x 10 mm. Nr. 408097

fittings. No. 408005 red No. 408011 green No. 408012 blue





Players' Bench Grand Slam Aluminum 150 cm long

The bench is an ideal advertising medium and is used worldwide at international tennis tournaments and in football stadiums. High-quality aluminum construction, white powder-coated. The seating surface consists of 5 multi-chamber profile slats, supplied in four parts, easy assembly. The 10 mm PVC advertising panels are preassembled without an advertising logo. Weight 27 kg. **No. 41222** white

4-color digital printing

Please provide file for printing. No. 412221



Umbrella Holder for Players' Bench

Umbrella holder for plastic benches

No. 4080097

From now on you are sitting in the shade. The

new umbrella holder, made of aluminum, can be screwed onto th existing screws of the benches Köln, Freiburg and Berlin. Suitable for umbrellas with a diameter of 25 mm.

Made of white, powder-coated aluminum, with fittings for easy mounting. No. 408007

Courses



Umbrella Nuovo

Very solid, tiltable parasol, 150 cm diameter with a quick release device. 8 pieces, made of 100% polyester fabric, approx. 160g/qm, weatherproof. Fits the umbrella holder for plastic benches as well as the Robusto umbrella stand.

No. 408009 red No. 4080091 green No. 4080092 blue

Umbrella Stand Sun

Very stable umbrella stand made of plastic, with rotatable support that can be adapted to different diameters. The stand can be filled with water or sand. Dimensions: 45 x 46 cm

Advertising Bench Freiburg GFK 150 cm


2 all-plastic legs and 5 multi-chamber plastic slats serving as a seat and a KU backrest for easy attachment of advertising stickers. This exclusive, high-quality GFK model is very robust and specially developed for extremely hot regions. **No. 41208** white

4-color digital printing

Please provide file for printing. No. 412209

No. 408185





Bench Hohenzollern

Elegant, yet extremely robust bench for tennis courts and outdoor use. With armrests, seat width 150 cm, seat depth 50 cm. Solid plastic construction with integrated, stainless steel brackets. Seat and back are supplied preassembled to make setting up easier.

No. 412012 white

Deluxe Tennis Bench

Our newly designed tennis court bench has everything you could wish for. Plenty of space (approximately 100 x 45 cm) in the middle for bags and rackets, two comfortable seats, with plastic-, weather- and light-resistant seat pads, 57 cm wide and 50 cm deep. Super robust design. A first class product.





Bench Black Forest 120 cm width

2 solid plastic feet and 13 multi-chamber profiles in wood look ensure good stability. The bench is supplied pre-assembled so that assembly is simple and time-saving.

The footprint is 97×64 cm. The bench is therefore small and compact and even fits in any garden or on the balcony. With a weight of approx. 14.5 kg, the bench is also easy to move. The bench can also be bolted to the ground if required. **No. 412077**

Bench Cologne 120 cm long, white 2 plastic legs and 9 multi-chamber plastic slats, foldable. Proven high-quality. Weight approx. 13 kg. No. 412233 white No. 412234 green







Bench Munich 150 cm long, white

2 plastic legs and 5 multi-chamber plastic slats, without backrest and therefore usable from both sides. Practical and comfortable to sit on. Weight approx.7,5 kg. **No. 412210** white



Bench Munich 150 cm long, green

2 plastic legs and 5 multi-chamber plastic slats, without backrest and therefore usable from both sides. Practical and comfortable to sit on. Weight approx. 7,5 kg. No. 412211 green



Bench Freiburg 150 cm long, white

2 plastic legs and 9 multi-chamber plastic slats with reinforcement bracket in the center, foldable. Proven high-quality. Weight 13,6 kg. **No. 41200** white

Bench Freiburg 150 cm long, green

2 plastic legs and 9 multi-chamber plastic slats with reinforcement bracket in the center, foldable. Proven high-quality. Weight 13,6 kg. **No. 41199** green



Bench Helgoland 150 cm long, white

2 plastic legs and 12 multi-chamber plastic slats with reinforcement bracket in the center, foldable. Practical and comfortable to sit on. Weight approx. 21 kg. No. 41203 whitw

Bench Helgoland 150 cm long, green

2 plastic legs and 12 multi-chamber plastic slats with reinforcement bracket in the center, foldable. Practical and comfortable to sit on. Weight approx. 21 kg. No. 41207 green





Bench Stuttgart 200 cm long, green 3 plastic legs and 5 multi-chamber plastic slats, without backrest therefore usable from both sides. Practical and comfortable to sit on. Weight approx. 9,9 kg.

No. 412212 white No. 412213 green

> Bench Berlin 200 cm long, green 3 plastic legs and 9 multi-chamber plastic slats, foldable. Proven high-quality. Weight 16,8 kg. No. 41210 white No. 41211 green

Bench Sindelfingen 200 cm long, white 3 plastic legs and 12 multi-chamber plastic slats. Practical and comfortable to sit on. Weight approx. 24,3 kg. No. 41204 white No. 41212 green

MADE IN GERMAN

Court

Brush Shoe Cleaner Ideal

Made of zinc-coated steel with high-quality bristles. Ideal cleaner for sand and clay courts. 495 x 295 x 180 mm. No. 41284

Tennis Shoe Cleaner wood

Made from polished beech wood. Size 360 x 270 mm. Extremely durable non-slip construction. No. 41269



Tennis Shoe Cleaner Little Solid plastic construction. Size 350 x 270mm No. 41271

Shoe Cleaning Mat Atlantis

A solid, stiff brush mat made of recyclable synthetic material. Width: 590 x 380 x 30 mm. No. 41280

Shoe Cleaning Tub

The perfect cleaner for all kind of sports shoes. Fine sprays of water in the punched rubber mats clean the soles of the shoes when triggered by the person's weight. Can be used for clay, granule and sand courts. Dirt remains in the tub. Easy to clean. Size 600 x 500 mm. No. 41286







Waste Bin 50 l

UV-resistant plastic waste bin. Heavy-duty hot galvanized metal fixture for fastening to poles, railings or walls. Complete with hardware and key. No. 41233 green No. 41234 orange





Designer Waste Bin "Tennis Ball"


In the shape of a tennis ball, approx. 50 cm Ø. Made from top-quality special plastic. Completely UV and weather-resistant. Hinges and fastening materials made from stainless steel. Hinged lid. Standard version with 2 quick-release straps for mounting on poles, railings or walls. **No. 41224 yellow**


No. 41223 green



Wire Waste Bin 18 I

Semi-circular, galvanized with perforated metal base to drain water. Spring hooks for fastening to fence. Size: height 14 cm, width 32 cm, depth 17 cm. **No. 41236**





2 mm sturdy, strong hot-galvanized frame. 4.8 mm round steel legs. Size: 40 cm Ø; height 50 cm. No. 41277





Wire Waste Bin 75 I

2 mm strong hot-galvanized frame with 4.8 mm round steel legs. Metal base with holes for water drainage. Size: 40 cm Ø; height 60cm **No. 41278**



emach



The high-quality screen, proven and tested thousands of times worldwide Heavy-duty polyethylene fabric, UV-stabilized, lets wind through. Full border with plastic-lined brass eyes every 50 cm, thus very resistant to tearing.

Windscreen Super The Quality Super weighs 160 g/qm is wind pearmable and is available in the colours light- and dark green. It is the most sold wind screen. Only available in 12 x 2 m.

Windscreen Exclusive The quality of Wind Screen Exclusive weighs 140 g/qm and is extremely wind pearmable and is excellently suited for printing, available in the colours light and dark green, yellow, white, blue red and black. Standard size 12 x 2 m, but also available in length of 50 m and height of 4 m.

Printing Our panels are printed with special, UV-resistant inks, therefore particularly good adhesion and long durability. In the standard, the panels are printed in black. Other printing inks plus 25% surcharge. All company logos, logos and lettering can be created on request. Photo prints are also possible. The prerequisite for production is the delivery of a printable file (vectorized or print PDF) by the client. Production only after approval of the control template (PDF).

Padelcourt Windscreen Digimash

4C digital print. With silver-coloured eyelets every 50 cm. Dimensions: 1850 mm x 900 mm Delivery incl. snap hook **No. 41526** one-sided print

No. 41527 double-sided print



Fastening - S - Hook Thickness 4 mm, length 56 mm, width 18 mm No. 41520

VERSTEHEN

(a) deineimmopar

Spring Hooks Galvanized, 60 hooks needed er 2 x 12 screen No. 41530



Windscreen Digimesh

Photo digital printing in 4C from photo-realistic templates. With silver-colored ring eyelets every 50 cm. Dimensions: 12 m x 2 m Technical changes reserved. Pictures are partially illustrations. No. 415176



ort.com





Windscreen Light Green Super

With metal eyelets every 50 cm		
No. 415115	dimensions: 12 m x 2 m	
No. 415103	dimensions: 17 m x 2 m	
No. 415119	dimensions: 16 m x 3 m	
No. 415104	dimensions: 18 m x 3 m	



Windscreen Dark Green Super

 With metal eyelets every 50 cm.

 No. 415105
 dimensions: 12 m x 2 m

 No. 415109
 dimensions: 17 m x 2 m

 No. 415110
 dimensions: 16 m x 3 m

 No. 415113
 dimensions: 18 m x 3 m



Windscreen Exklusiv Colour

With metal eyelets every 50 cm. Dimensions: 12 m x 2 m.

No. 41510	dark green	
No. 41511	light green	
No. 41512	blue	
No. 41513	white	
No. 41514	black	
No. 41515	yellow	
No. 41516	red	



Windscreen Exclusive with Advertising Printing With metal eyelets every 50 cm. Color: light green or dark green Dimensions: 12 m x 2 m.

No. 415171 printing up to 40%





Windscreen Exclusive with Advertising Printing With metal eyelets every 50 cm. Color: light green or dark green

Dimensions: 12 m x 2 m. No. 415172 printing up to 60%



Windscreen Advertising Superprinted with Universal SportWith metal eyelets every 50 cm. Dimensions: 12 m x 2 m.No. 41500dark greenNo. 41501light green




Windscreen Exclusive with Advertising PrintingWith metal eyelets every 50 cm. Color: light green or dark greenDimensions: 12 m × 2 m.No. 415173printing up to 80%



Windscreen Advertising Super printed with Court RoyalWith metal eyelets every 50 cm. Dimensions: 12 m x 2 m.No. 41503dark greenNo. 41504light green



Court




Standard Dividing Net


Robust polyethylene net 2.4 mm thick, mesh width 4.5 mm. For tennis hall and outdoor use. Complete with steel wire, approx. 4 mm thick, 38 m long, 1 tension lock, lead cord weighs 200 g/m and nylon guide rings, 3 rings to be fitted to the net per meter.

Size 40 x 2,5 m No. 41570 white No. 41571 green No. 41572 black

Size 40 x 3 m No. 41580 white No. 41581 green No. 41582 black




Dividing and Stop Nets 2,3 mm Made of high-strength polypropylene, mesh width 45 mm.



Dividing and Stop Nets 4 mm Made of high-strength polypropylene, mesh width 45 mm. No. 41611 green

Dividing and Stop Nets 2,3 mm Made of high-strength polypropylene, mesh width 45 mm. No. 41600 green No. 41591 black




Dividing and Stop Nets 4 mm Made of high-strength polypropylene, mesh width 45 mm. No. 41613 blue

Support Rod

Made of aluminum, with large support base, free-standing. Freely adjustable by telescopic mechanism from 1,65 - 3,05 m. 3 support rods are needed to support the standard dividing nets. **No. 41585**





Dividing and Stop Nets 3 mm

Made of high-strength polypropylene, mesh width 45 mm. **No. 41610** green

Lead Cord

Directly sewn to the net as weighting No. 41620 200g No. 41621 400g

Plastic Guide Rings

Made of nylon, black, 3 integrated in the net for each meter No. 41630

Wire

Made of zinc-plated steel No. 41640 4 mm No. 41641 6 mm

Tensioning Set

Eye rings and tension lock each end No. 41650 for 4 mm No. 41651 for 6 mm

Additional charge for small orders per single net:

nets of less than 5 sqm + 100% nets of less than 20 sqm + 20% nets of less than 10 sqm + 35%







Standard Dividing Net Super black

The newly developed knotted dividing net with a material thickness of 1,6 mm for indoor and outdoor use is absolutely weather-resistant and extremely tearproof. Due to the colour black and the thin material the net is more transparent than the conventional dividing nets. The mesh size is 4,5 cm. Complete with 38 m long steel wire and 2 tension locks. 200 g/m cord weighs and 3 galvanized snap hooks per meter. Size 40 m x 3 m No. 42500

Broom for Granular Surfaces (above)

Broom with Arenga bristles for hall floors with rubber granular. The special position of the bristles guarantees an even sliding of the broom. Complete with a very sturdy aluminum handle in three parts. Working width 200 cm. No. 41075

Granu-Top Broom (below)

This is the perfect broom for cleaning granular surfaces. The bent ends of the broom and the position of the bristles guarantee an even spread of granules. The static supercharge cleans debris abraded from the balls and lint from the surface. Complete with aluminum handle and weights on both ends. Working width 200 cm.

No. 41076





MADE IN GERM



45

Tribune Seat Compact for Self Assembly

Made of moulded, shock-resistant, UV-resistant polypropylene.Fast and simple assembly on nearly every underground due to triple fittings. The attachment points are protected against vandalism. All seat shells are equipped with a water drain. Available in the colours: black, white, orange, green, blue, yellow, red, grey. Please indicate the colour. For an additional charge, the seats can be numbered [flame-retarding on request]. Weight: 0.810 kg





800



No. 409628 PANTONE 3686

No. 409629 RAL 5002





No. 40962 RAL 9017



No. 409621 RAL 9016



No. 409622 RAL 2008



No. 409623 RAL 60017










No. 409624 RAL 5015

No. 409625 RAL 1018



No. 409627 RAL 7001





Tribune Seats Elegance for Self Assembly

Made of moulded, shock-resistant, UV-resistant polypropylene. Fast and simple assembly on nearly every underground due to triple fittings. The attachment points are protected against vandalism. All seat shells are equipped with a water drain. Available in the colours: black, white, orange, green, blue, yellow, red, grey. Please indicate the colour. For an additional charge, the seats can be numbered (flameretarding on request). Weight: 1.930 kg





No. 409638 PANTONE 3686



No. 409639 RAL 5002





No. 40963 RAL 9017



No. 409631 RAL 9016



No. 409632 RAL 2008





No. 409634 RAL 5015



No. 409635 RAL 1018




No. 409636 RAL 3000





No. 409637 RAL 7001





Tribune Court Royal with 50 seats, three-rowed

The new Tribune Court Royal is suitable for all kind of outdoor sports. It is equipped with 50 comfortable three-rowed seats as well as a middle staircase and rails.

The construction is of steel profile barrels and heavyweight grates as flooring. All steel parts are galvanized and absolutely weather-resistant. The UV-resistant plastic bucket seats offer sitting comfort and can be delivered in different colours. No. 40985



Technical data:

Length:	9.19
Depth:	2.13
Height:	1.52
Seat height:	0.84
Capacity:	50 se
Stand material:	hot-c
Seat material:	injec
	lene

9.19 m 2.13 m 1.52 m 0.84 m 50 seats hot-dip galvanised steel injection-moulded polypropylene, impact-resistant, UV-resistant

Court Royal grandstand roofing for self-assembly as a kit

The stable substructure is made of anodised, corrosion-resistant aluminium profiles measuring 160 x 100 mm. The roof is made of impact-resistant, UV-resistant and heat-repellent polycarbonate in the colour smoked glass grey. Drainage is via a gutter with a downpipe, which is included in the scope of delivery. Thanks to the high-quality materials used, the canopy is corrosion-resistant, durable, hail-proof and frost-proof. **No. 40987**

Technical data: Length: 9.83 m Width: 2.73 m Height: 2.94 m











Universal Flex grandstand with 24 seats, indoor and outdoor with castors

- Flexible stand construction made of aluminium
- Can be screwed together as a kit
- Approx. dimensions: L 4.0 m x D 2.0 m x H 1.10 m
- with polyamide transport rollers for easy relocation of the stand
- 24 individual seats
- No. 40988 Price incl. seats, free delivery within Germany € 6,060.00 Available RAL colours:
- black (9017) white (9016) green (6001)
- blue (5015) yellow (1018) red (3000)
- or colour combinations



The Mobilissima can be used flexibly and can be set up quickly. Up to 50 seats per unit

For storage, the grandstand only requires a minimum storage space of approx. 3.8 m².

The design allows the elements to be stored inside each other. The elements are delivered pre-assembled. All that remains to be done is to screw on the castors. The advantage: quick and easy to move and set up by one person. Seating surfaces made of multi-glued plywood panels, natural beech, 2* treated with DD lacquer, edges sanded and colourlessly sealed. Treads and steps made of glued plywood, natural beech, 2 x treated with DD lacquer, tread edges sanded and sealed colourless, polyamide castors Ø 100 mm, runners with hard-wearing felt covering. **No. 409651 indoor**

With pre-assembly, price on request. **No. 409661 outdoor** With pre-assembly, price on request.

Technical data

Length: 875 cm Height: 185 cm Width: 180 cm Weight per set: approx. 500 kg

Scope of delivery - 5 grandstands with different lengths

- 5 rear railings

- 2 side railings
- Operating instructions





Ball Machines + Training Walls

ours



-

Course

urge .

courthoy

UFNF

Ball Machines · Training Walls







Air-Tennis practice wall

The recently developed Air-Tennis tennis practice wall is the ideal training partner for everyone, from beginners to experts. This product is a unique and absolutely unbeatable piece of training equipment for use in stationary or transportable mode. It comes in a bag and is easy to transport. To set it up, simply unfold it on the ground and roll it out. Use the bellows (supplied), then fill it with air - it just takes seconds. You can use the air pressure gage, also supplied, to check that the air pressure is at the right level, as this also affects the way the ball bounces back. There are also attachment straps on both sides for attaching the practice wall to our pairs of stands, fences, or sports hall walls. You can also empty it in seconds, simply by turning over the bellows. Players can play on both sides of the Air-Tennis practice wall. It has lines marked on it at the height of the net to guide the player. Tested by international trainers who rated it very highly.

Air tennis ball wall 3 m

300 x 200 cm No. 42020 without stand Air tennis ball wall 4 m 400 x 200 cm

No. 42021 without stand

Air tennis ball wall 5 m 500 x 200cm

No. 42022 without stand

Air tennis ball wall 6 m

600 x 200 cm **No. 42023** without stand

Ballwand Air-Tennis Set

300 x 200 cm complete with stand No. 42025



Repair kit No. 42027



Court





Smash-Back Training Wall

Made of acrylic and frostproof concrete. Homogeneously sealed green coating offers additional protection. Parabolic playing surface guarantees a spot-on ball rebound. The white marking lines are indestructible. This training wall is simply mounted and bolted to a strip foundation with recessed anchor bolts. Can be supplied in two heights, 230 and 300 cm with a 100 cm protective screen. Width individually adjustable with elements. Integration of sound-proofing, recommended in residential areas. **Typ II E**

 $\mathsf{Playable}$ on one side. Height 230 cm, element width 148 cm, without protective screen. $\mathbf{No.}$ 42060

Typ I E

Playable on one side. Height 300 cm, element width 100 cm, without protective screen. No. 42062

Protective screen Typ E

For single-sided playing walls. Hot galvanized, angled ball protective screen. 100 cm high. No. 42064



Noise Reduction Type I an II E For single-sided playing walls, 2,30 and 3,00 m. Prefabricated acrylic concrete slabs with covering and insulating materials. No. 42066

Side panelling for Smash-Back rebound wall No. 42068



Ball Machines · Training Walls





Tennis Tutor ProLite

The wide speed range makes this machine a superb choice for all beginners. Due to the small size and light weight it can be stored easily and fits in almost all car trunks. A good choice for sports lessons in schools as well as for private use. The ball trajectory is manually adjustable from groundstroke to towering lob. The oscillator delivers shots randomly across the court.

Technical details:

- Ball capacity: Dimensions: Weight: Power: Playing time: Recharging time: Feeding interval: Top speed: Ball flight: Line-directions: Case: Remote control: No. 42013
- 125 balls (HxWxD): closed 31 x 50 x 46 cm 13 kg battery 2 - 3 hours 12 hours 1.5-10 sec. 96 km/h stop to lob 1 direction and random plastic no – on-off switch





Tennis Tutor Plus

The ball machine Tennis Tutor PLUS is battery operated. It is portable and rollable like a suitcase when the handle is pulled out. The ball speed is adjustable from a light throwing ball for beginners to a high-speed ball for advanced players. The trajectory can be set between net roller and lob, regular ball sequence and arbitrary scattering angle. Technical details:

Ball capacity: Dimensions [HxWxD]: Weight: Power: Playing time: Recharging time: Feeding interval: Top speed: Ball flight: Line-directions: Ball spin: Housing: Remote control: No. 42012

150 balls 51 x 50 x 50 cm 21,6 kg battery 4-6 hours 12 hours 1,5-10 sec. 136 km/h short to long topspin, spin,flat,slice one direction and random plastic yes on/off

Tennis Twist

Especially designed for children and beginners. The Tennis Twist can be used in clubs and schools as well as in backyards, driveways and even basements. The machine is very easy to use - just turn it on and it shoots a ball every five seconds. The arc of the ball can be adjusted anywhere from approx. 3 - 6 meters.

Technical details:

- Ball capacity: Dimensions (HxWxD): Weight: Power: Playing time: Feeding interval: Top speed: Ball flight: Lines-directions: Ball spin: Case: Remote control: No. 42016
- 28 balls 50 x 20 x 20 cm 5 kg battery 5-6 hours 5 sec. 15 km/h straight 1 direction no plastic no on-off switch





Ball machine Playmate VOLLEY DREAM

31 kg

min 4 hours

6 hours

140 km / h

1 - 10 sec.

Top Spin and Slice

wireless, on / off

7 directions right-left-center

aluminum with lockable lid Shut down sensors

The ball machine Playmate Volley Dream is a high-quality portable ball throwing machine with aluminum housing and battery operation. It meets the highest safety requirements. There is a sensor installed, which immediately stops the ball ejection if a person stands in the immediate vicinity in the ejection direction. Furthermore, the new Volley Dream comes with a lockable lid, which must be locked for safety reasons in game mode.

It can be set in seven directions. For example: right, middle, left, left right, right, middle. Likewise, it plays top spin and slice, as well as short-long. The ball sequence can be adjusted continuously to 6-60 pieces of balls per minute. An ideal device for individual or group training. Exact throwing accuracy and quiet running. With the newly integrated accessory "i-Playmate" you can use an App to control the Playmate i-Shmash via the i-Phone or i-Pad, as well as record, document and compare your training achievements.

short-long, infinitely adjustable Ball Types Top Spin, Slice

battery operation (charging current 230 V)

Technical data:

- · Capacity: about 180 balls with lid closed. (height x width x depth) 64 x 56 x 48 cm
- · Dimensions:
- · Weight:
- · Power connection:
- · Battery life:
- · Charging time:
- · Top speed:
- · Ball sequence:
- · Trajectory:
- · Ball Types:
- · Spread angle:
- Housing:
- · Safety:
- · Remote control:
- No. 42005



Remote Control Playmate

General remote control for all Playmate ball machines. No. 4203420



LEASING









Ball machine Playmate i-Smash DREAM

The ball machine Playmate i-Smash is the highlight of the ball throwing machines. It meets the highest safety requirements. A sensor is installed, which stops the ball ejection immediately, if a person stands in direct proximity in ejecting direction. Furthermore, the new i-Smash will be delivered with a lockable lid, which must be mode for safety reasons.

It can be set in seven directions. For example: right, middle, left, left right, right, middle. Likewise, it plays top spin and slice, as well as short-long. The ball sequence can be adjusted continuously to 6-60 balls per minute. An ideal device for individual or group training.

Exact throwing accuracy and quiet running. The housing is made

of powder-coated aluminum. With the newly integrated accessory "i-Playmate" you can use an App to control the Playmate i-Shmash via the iPhone or i-Pad, as well as record, document and compare your training achievements.

(height x width x depth) 96 x 54 x92 cm

about 240 balls with lid closed.

Technical data:

- · Capacity:
- · Dimensions:
- · Weight:
- · Electricity:
- · Top speed:
- · Ball sequence:
- · Trajectory:
- · Ball Types:
- · Spread angle:
- · Housing:
- · Safety:
- · Remote control: No. 42008

29.30 30

- 230 V 150 km / h 1 - 10 sec. short-long, infinitely adjustable Ball Types Top Spin, Slice Top Spin and Slice 7 directions right-left-center aluminum with lockable lid Shut down sensors
- wireless, on / off

35 kg

LEASING

():[::::

Playmate MOVER

This new ball collector collects all spread out balls in shortest time. Basket can be removed easily and emptied into the ball trolley or ball machine. The tentacles are retractable. High quality aluminum construction with big wheels. Basket can be hooked to the handle when balls are played. No. 42076













Training Devices



Training Devices





The best-selling ball basket. Very sturdy, chrome-plated for collecting balls without bending over. Handle can also be used as stand. Locking cover, sturdy construction. Lock not included. Capacity: 70 balls. No. 42080 Saves time and efforts picking up balls. Simply press this practical tube down onto the balls on the floor and it picks them up. Holds 17 balls. To empty the tube, just open the cover at the opposite end. Length 120 cm, Weight: 0.8 kg **No. 42053**





Capacity: 330 balls, Size: [L x W x H] 60 x 49 x 92 cm, Cage Size: [L x W x H] 60 x 49 x 36 cm, Weight: 10 kg.





Separating Grid

For Ball Trolley Court Royal With the separating grid you can separate two different ball types. No. 430215

JOWO Tennis Caddy Black Series

The ideal partner for professional tennis trainers. Three height adjustment settings, simple and fast handling in transport. Can be folded for storage in a small space. Lockable cover. Sturdy, weatherproof structure. Capacity: 200 balls. **No. 42087**







Tennisball Balls Unlimited Code black

A combination of natural rubber and woven English Playnes felt. In our range of products this excellent tournament ball guarantees maximum performance and stability. Clearly less expensive than comparable brands. ITF approved tournament quality.

No. 46014 pack of 4

Tennisball Balls Unlimited Code Red

A combination of natural rubber and woven TTI-felt. This tournament ball guarantees maximum performance and stability. A superb playing behavior and an excellent price/quality-ratio. ITF approved tournament quality.

No. 42093 pack of 4






High-quality woven needle felt, perfect price/quality ratio, popular with trainers, excellent stability. Suited for ball machines. No. 42091 yellow

pack of 60

Foam balls

Made of PU foam, ideal for beginners to the sport of tennis. The slow bounce favours the learning of correct movement sequences. No. 20846 Ø 70 mm No. 20846 Ø 70 mm No. 20844 Ø 90 mm







Marking Markers

Ideal for marking in training. Soft hemisphere with 20 cm Ø in 4 different colors, height 9 cm, 40 pieces stakked on a carrier pole. No. 20351





6 hurdles, adjustable in height to 20 cm and 33 cm. Width 44 cm, complete with bag. No. 21560





Coordination Ladder Very good coordination and fitness training, due to flat strips fixed to a fabric band making injury almost impossible, suitable for many surfaces, robust quality. Dimensions: 800 cm long, 50 cm wide, 45 cm distance between strips, complete with bag. **No. 42045**

72



Marking Plates Made of soft PVC, diameter 19 cm, height, 50 plates in 5 different colors, per color 10 pieces

No. 20454 Packaging unit 50 plates

1) Marking Cone 40 Plastic, 40 cm high, for multiple use. No. 20392 red, No. 20393 yellow, No. 20395 green, No. 20396 blue

2) **Marking Cone 28** Plastic, 28 cm high **No. 20373** red, **No. 20374** yellow, **No. 20375** green, **No. 20376** blue

3) **Marking Cone 24** Red plastic, 24 cm high. **No. 20377**

Training Aid

The exercise/training aid for all types of sports is a complete training system with countless potential applications; from tennis, football, track and field, handball, basketball right through to motor sports. There are no limits to the imagination of trainers and athletes. The exercise aid can be used for school sports, basic training, right through to professional sports. Base can be filled with sand or other dry materials. Poles are made of high-grade elastic plastic. They can be inserted into the base or used as crossbars. The newly developed plastic clip can be set to any position. The poles can be positioned loosely or clipped onto other poles. Complete set consists of:

2 bases, 3 poles 160 cm long, 2 solid plastic clips No. 20315 1 set No. 20316 5 sets

Foot Plastic half bowls No. 20317

Plastic Pole 160 cm long No. 20318



3]

1)





The fun ball bounces in all directions. Ideal for reaction-training. No. 420951 7 cm



Easy to clean. No. 702301











Tennisball

Balls Unlimited Stage 1 High-quality woven flex felt. 25% slower and 10% lighter than normal tennisballs. ITF approved. No. 45080 pack of 12



Tennisball **Balls Unlimited Stage 2** High-quality woven flex felt. 40%

slower and 20% lighter than normal tennisballs. ITF approved. No. 45081 pack of 12



Tennisball **BIMBI Easy Stage 2**

High-quality woven flex felt. 40% slower and 20% lighter than normal tennisballs. Applied over years in smallfield-tennischampionships, ITF approved. Weight: approx. 43g. An absolute premium product. No. 460020 pack of 12



Tennisball **Balls Unlimited Stage 3**

Hiqh-quality woven flex felt. 6% larger and 20% lighter than normal tennisballs. ITF approved. No. 45082 pack of 12



The perfect racket for children aged between 7 and

11 years! For mid court, length: 60 cm, weight: 200 g.



Foam Ball Stage 3

Soft foam ball especially developed for starting off on the small field and midcourt. Distinctly larger than Stage 1 + 2 balls, slower bounce and flight behavior.

No. 42096 pack of 12



The perfect racket for children aged between 8 and 12 years! For full court, length: 64 cm, weight: 220 g. No. 45075



Stage 3 Children's Racket

The perfect racket for children aged between 5 and 8 years. For mini court, length: 54 cm, weight: 180 g. No. 45072



Stage 2 Children's Racket

No. 45073


Stage 5 Children's Racket

The perfect racket for children aged under 3. For mini court, length: 43 cm, weight: 150 g. No. 45074

The perfect racket for children aged between 3 and 5 years. For mini court, length: 48 cm, weight: 170 g. No. 45071









Bimbi Small Court Tennis Net, 3 m Street Set

Just like the Bimbi 3m Small Court Tennis Net, but with 2 Topspin 60 cm tennis rackets and 6 Bimbi Easy balls. No. 40512



Bimbi Small Court Tennis Net, 6.10 m School Set Just like the Bimbi Small Court Tennis Net 6.10 m but with 4 Topspin 60 cm tennis rackets and 12 Bimbi Easy balls. **No. 40510**





Bimbi Small Court Tennis System

This practical system was used in the small court tennis project run by the German Tennis Association and has proved its value. Fast and simple to assemble. Stable when assembled because of its wide stands. Ideal net tension with self-tensioning system. Can be stored in a small space in a practical bag. Official German Tennis Association size: 6.10 x 0.85 m. Weight approx. 8,4 kg. No. 40488


Replacement net 610 No. 40489

10. 101

Bag No. 40503



Courtering



Marking trolley for Tennis

New product developed for children's tennis, spreading width approx. 50 mm. **No. 45005**

Chalk for Tennis Courts 5 kg. in pail No. 45009



titit

Bimbi Club Package II

Consisting of: 1 Bimbi small court system, 4 Bimbi children's tennis rackets (64 cm) and 1 Bimbi Easy Set with 16 balls each in a collecting tube.

No. 46033





Bimbi School Tennis Package II

Consisting of: 2 Bimbi small court systems, 16 Bimbi children's tennis rackets [4 x 54 mm, 6 x 60 mm, 6 x 64 mm] and 2 Bimbi Easy sets with 16 balls each in a collecting tube. No. 46031



TOCL



ouroga

Courtis D %

Made of high quality PVC, can be used on all surfaces. Set of 4, green. No. 43018

Line Marking Tape

Made of high quality PVC, can be used on all surfaces. Set of 10, green. No. 46041

Corner Marking Tape

Made of high quality PVC, can be used on all surfaces. Set of 4, green. No. 43016





Children's Net System

Sturdy aluminum system, 40 x 40 mm tubes. Easy to dismantle and to transport. Consists of 2 aluminum bases including posts, each 3.05 m long, 2 net holding rods and a nylon net. Dimensions 6.10 m x 0.85 m. No. 40491

Children's Net System mobile

Like article No. 40491 but with 6 rollers. No. 40493



Marking Lines for Kid's Tennis

Marking lines for small court tennis. Made of heavyduty, non-slip and indestructible PVC. The weight of the line keeps it flat on the ground and it needs no additional fixation. Marking set of 2 rolls, 11 m long, 8 cm width.

No. 45000 white

Youth Stage 2


Rubber lines for the original Stage 2 court. 2 side lines: 3 cm, 2 base lines 4 cm wide. Color white. Excellent UV resistance. Supplied with fixing nails and assembly instructions. Original length: 17.83 x 6.17 (single) or 8.23 m (double). **No. 45001**

Youth Stage 3

Rubber lines for at least 2 original Stage 3 courts. 4 lines, 6.60 m each (can be extended to 11 m) color white. Excellent UV resistance. Supplied with fixing nails and assembly instructions. Includes tennis court lines. **No. 45002**







Pickleball net system Court Royal Professional

This pickleball net system is an absolute novelty from our own production, a professional Court Royal model. The extra heavy transportable net system is made of an aluminium frame and ensures an optimal and secure stand with the heavy steel weight plates and the aluminium cross struts. The posts have an internal trapezoidal tensioning mechanism for easy tensioning of the net. A device is integrated in the centre of the net system to adjust the net to the optimum height using a webbing strap. With standard dimensions of 670 x 86.5 cm, the system is suitable for tournaments.

Black powder-coated, complete dimensions of the system: approx. 681×93 cm. Supplied without net. Weight 143 kg

No. 404233



Pickleball net system Professional Equipment as PN 7 on page 83 Dimensions: 667 x 81 cm

Dimensions: 667 x 81 cm **No. 404230** (without illustration)

Replacement net PN 5

Pickleball racket Tina 2.0

The Tinia 2.0 is the ideal beginner's model in the pickleball sport. It has a rounded shape and is made of wood with a weight of approx. 300 grams +/- 15 grams. The high-quality handle sits perfectly in the hand. The handle has a circumference of approx. 10 cm and a length of 13 cm. The attached edge protection protects the racket from wear and tear. Due to its weight, it provides sufficient power, especially for beginners with little effort. The racket complies with USAPA specifications and is suitable for all DPB tournaments.

No. 404240

Pickleball racket Inceptor 3.0

The synthetic racket has a polymer honeycomb core paired with a durable woven graphite surface. Thanks to the large hitting area with a width of approx. 20 cm, it offers a larger sweet spot which is ideal for both beginners and advanced players. With a weight of only approx. 220 grams, the racket is extremely light. The handle circumference is approx. 10 cm and the handle length 12 cm. The racket complies with USAPA specifications and is suitable for all DPB tournaments. **No. 404245**



The Gamma Pickleball Paddle Retro with its cool retro look is the ideal model for schools, universities and sports clubs. Gamma Honeycomb Cushion Grip. Surface consists of composite materials, honeycomb structure core with 13 mm thickness; length: 40.00 cm; width: 20.96 cm; weight approx. 220 grams; handle circumference: 10.48 cm; handle length: 12.70 cm.

No. 404246

Pickleball racket Tournament

The synthetic racket has a polymer honeycomb core paired with a durable woven graphite surface. Thanks to the large hitting area with a width of approx. 20 cm, it offers a larger sweet spot which is ideal for both beginners and advanced players. With a weight of only approx. 220 grams, the racket is extremely light. The grip circumference is approx. 10 cm and the grip length 12 cm. The racket complies with USAPA specifications and is suitable for all DPB tournaments. **No 404247**







Center Strap III

With plastic snap lock, spring hook and Velcro strip. No. 40720



Pickleball net PN 7

Made of approx. 3 mm polyethylene braided rope, hand-knotted, black, knotted, very sturdy plastic double net edging, complete with plastic-coated steel cable. Sides and lower edges with heavy, black plastic edging and two 10 mm thick fibreglass rods for lateral fixation. Long service life and optimum durability.

3-year factory guarantee on the net. Dimensions: $667\,x\,91\,cm$ Mesh width $4.5\,cm$ $No.\,404227$

Pickleball post Alu PP 73 with base plate

The plastic-coated aluminium posts with plate, manufactured in-house, are an absolute novelty on the pickleball market. The height of 91 cm above the ground with base plate, as specified by the association, is guaranteed. For this reason, these posts are suitable for competitions. With a diameter of 73 mm and a special three-chamber profile, this is a first-class product. The tried-and-tested screw-on aluminium gear mechanism ensures optimum net tension. All net holding poles, screws and hooks are made of VA steel.

A special feature of these posts are the steel base plates, which can be attached to a concrete slab with dowels.

No. 404224 black


Pickleball post Alu BH 73

Ausführung rund ø 73 mm aus kunststoffbeschichtetem Aluminium drei Kammern Spezialprofil, sehr stabil mit anschraubbarer Alu-Zahnradmechanik. Netzhaltestangen, såmtliche Schrauben und Haken aus VA Stahl. Zum Einbau in den Boden. Lieferung ohne Bodenhülsen. Gesamtlånge: 125 cm, über Boden: 90 cm No. 404222 green

No. 404223 black

Gound Sleeves 73

Ground sleeves for 73 Ø mm post No. 404281








Pickleball + Equipment



Consisting of: 4 x L pieces and 8 x T pieces. This allows you to quickly create a clearly visible pickleball court and play straight away. No. 46043



Pickleball collection tube Court Royal

Boost your training sessions with our specially developed ball collection tube for pickleball! Made of high-strength PVC, this tube guarantees a long service life and is ideal for intensive use on the court. The practical carrying strap makes it easy to transport so that you can concentrate fully on your training. The collection tube has a length of 115 cm. Capacity 16 balls

No. 404253



Pickleball separation

Whether in halls, sports clubs or on outdoor courts - a pickleball barrier ensures clearly defined playing areas, protects against distractions and prevents balls from escaping. Ideal for sports facilities, schools and leisure parks that offer pickleball as a new trend sport!

High-quality construction with the dimensions: [LxWxH]: 200x2x70 cm Printing on request

No. 404266 without printing

Alle Preise verstehen sich inkl. gesetzlicher MwSt.




Pickleball GAMMA Outdoor set of 3

With 40 holes for a safe and precise flight. Approved as a tournament ball according to the official list of USA Pickleball and IFP Pickleball. Weight per ball: approx. 20 g Colour: neon yellow No. 404252

Pickleball GAMMA Indoor set of 3

With 26 holes for a safe and precise flight. Approved as a tournament ball according to the official list of USA Pickleball and IFP Pickleball. Weight per ball: approx. 20 g Colour: neon green **No. 404250**

Pickleball + Equipment



Space requirement Pickleball court compared to tennis tournament court

Ball Machine Pickleball Tutor Mini

The new ball thrower is a novelty and was designed specifically for pickleball. Fully equipped and incredibly user friendly. The compact design with 38 x 33 x 30 cm paired with a low weight of around 11 kg allows optimal transport. With the manual height control, a feed from groundstroke to lob is easily possible. Imposing ball speeds of up to approx. 80 Km/h cover every need. A regular ball sequence can be set individually between 2 and 10 seconds. Dynamic training is provided by an oscillator, which distributes the balls variably over the playing field. Great capacity of up to approx. 60 outdoor or indoor balls. Built-in rechargeable battery allows up to approximately three hours of play time per charge.

Technical details: Ball capacity: Dimensions (H×W×D): Weight (with battery): Power: Playing time: Recharging time: Recharging time: Feeding interval: Top speed: Ball flight: Line-directions: Ball type: Housing: Remote control:

appr. 60 Balls 38 x 33 x 30 cm ca. 11 kg battery 2 - 3 hours 12 Std. 2-10 sec. appr. 80 km/h manually adjustable (lob/round shot) one direction and randomly indoor and outdoor plastic none, on-off switch



No. 404270 Alle Preise verstehen sich inkl. gesetzlicher MwSt.

Court

Padel Tennis + Equipment





Padel Tennis net post PP 73 with plate

Round design ø 73 mm made of plastic-coated aluminium three-chamber special profile, very stable with screw-on aluminium gear mechanism. Net holding rods and all screws and hooks made of VA steel. With base plate for fixing to the concrete slab with dowels. Length above ground: 92 cm **No. 40636**

Padel Tennis net post PP 73

Round design ø 73 mm made of plastic-coated aluminium three-chamber special profile, very stable with screw-on aluminium gear mechanism. Net holding rods and all screws and hooks made of VA steel. For installation in the ground, supplied without ground sockets. Total length: 125 cm, above ground: 92 cm **No. 40635**

Ground sleeves 73

Ground sleeves for 73 mm ø padel posts. No. 404281

Padel court broom plastic yellow

150 cm wide, with 3 interchangeable broom sections on an aluminium base frame. Complete with threepart, very sturdy aluminium drawbar and mountable net deflectors. The ideal maintenance broom for synthetic turf surfaces filled with quartz sand. Plastic bristles, yellow, angled. **No. 408811**

Spare broom plastic yellow No. 40883 50 cm

Padel Tennis + Equipment





Padel Tutor Plus ball throwing machine

The Tennis Tutor Padel is a battery-operated ball throwing machine specially designed for padel balls. With its compact dimensions of 51x50x51 cm and a weight of just 21.6 kg, it is ideal for transporting. Thanks to the extendable handle and wheels, the machine can be pulled as a trolley. The ball speed can be customised from a slow ball to a high-speed ball with 136 km/h. The trajectory can be varied between net roll and lob, a regular ball sequence or a random scattering angle in 1.5-10 seconds. The practical, fold-out ball container holds approx. 150 balls. With a battery life of 4-6 hours, extensive training is possible without any interruptions until the ball throwing machine is recharged.

Technical data:


Capacity: approx. 150 balls Dimensions (height x width x depth) 51 x 50 x 51 cm (closed) Weight (with battery) 21.6 kg Power connection Battery operation (charging current 230 V) Battery life 4 - 6 hrs. Charging time 12 hours Ball sequence 1.5 - 10 sec. Maximum speed 136 km/h Adjustable short - long trajectory Ball type topspin, spin, flat, slice Spread angle 1 direction and random Plastic casing Remote control wireless on/off **No. 40640**



Padel Balls unlimited

The combination of a robust rubber core with a high-quality felt layer meets the special requirements of padel play. Good ball control and a precise point of impact are guaranteed. Compared to tennis balls, the internal pressure is reduced. Weight: approx. 56 g.

No. 40638 Tin of 3 No. 40637 Tin of 4



Padel tennis net PN 8

Made of approx. 3 mm high-strength polypropylene, black, PES net edging tape. Complete with plastic-coated steel cable. 3-year factory guarantee on the net. Dimensions: 1000 x 92 cm, mesh size 4.5 cmm **No. 40630**



Padel tennis net PN 9

Very stable plastic double net surround, complete with plastic-coated steel cable. Sides and bottom edges with heavy, black plastic edging and two 10 mm thick fibreglass rods for lateral fixation. Long service life and optimum durability. 3-year factory guarantee on the net. Dimensions: 1000 x 92 cm, mesh size 4.5 cm

No. 40631



VERSTEHE

() deineimmopai

Center Strap III

With plastic snap lock, spring hook and Velcro strip. No. 40720

Padelcourt screen Digimash

4 C digital print. With silver-coloured eyelets every 50 cm. Dimensions: 1850 mm x 900 mm Delivery incl. snap hook **No. 41526 one-sided printing**

No. 41527 double-sided printing

87






Volleyball Post Heavy Duty

Absolutely weatherproof, very sturdy, vandalismproved, competition-approved volleyball post made of 90 x 90 x 4 mm hot-dip galvanized steel profile. Height adjusted with a very easy-to-handle mechanism. Net tensioned with a turnbuckle. Complete with ground sleeves 35 cm. Post length 300 cm. **No. 30510** Reliable, solid volleyball post 83 mm made of aluminum special profile, compliant with DIN 78966. Easyrunning net attachment and tensioning devices continuously adjustable. All steel parts are galvanized. Post surface is matt-silver anodized. Complete with ground sleeves and covers. No. 30501 Reliable, solid volleyball post 80 x 80 mm aluminum, compliant with DIN 7896. Easy-running net attachment and tensioning devices (galvanized, trapezoid thread mechanism) continuously adjustable. Surface of the posts and impulse profiles are matt-silver anodized. Complete with ground sleeves and covers. **No. 30500**









Volleyball Referee Tower

Umpire chair made of aluminum special profile Ø 35 mm, height-adjustable,, 3 adjustment options, complete with 4 rubber pads, 2 lashing straps and writing board. **No. 30600**



Volleyball Referee Tower Professional

Solid steel construction, painted black, height-adjustable, wooden platform. Ladder entry from the back. Two transport wheels for the easy transport of the umpire chair. Used at numerous volleyball tournaments. **No. 30603**

Beach Volleyball Post Court Royal 83

83 mm Ø aluminum (DIN 7896). Easy running net attachment and tensioning devices (galvanized, trapezoid thread mechanism) steplessly adjustable. Surface is yellow powder-coated. **Delivery without ground sleeves**

No. 30693

Ground sleeves

Made of hot-dip galvanized steel for installation in sand fields, length 70 cm No. 30694

Beach Volleyball Marking Lines Turnier

9 x 18 m (or 8 x 16 m) with adjustable plastic corner elements, 50 mm wide PES-webbing and middle marking. Complete with 4 plastic ground anchors, 23 cm long and bungee tensioning ropes. color: dark blue. **No. 30686**

Sec. 2

Beach Volleyball Marking Lines

9 x 18 m, made of polyester tape 50 mm, with loops at each corner and middle marking. Complies with the GVF (German Volleyball Federation) requirements. Wounded onto a plastic roll. Complete with 4 ground anchors. Color, dark blue. **No. 30688**



Court





Badminton Umpire Chair

Elegant aluminum badminton umpire chair with European Seal of Approval DIN EN 131. Very robust because of the stable ladder and the projecting supports with four base plates. The seat mount has an extra crossbar behind the UV-resistant body-contoured seat. Including writing-board. No. 30888

Badminton Post Court Royal

protecting rubber buffers on the support part. Game columns made of 80 x 80 mm special aluminum profile. Including tension belt and slidable eyebolt slide for unclamping the net. Steel parts painted blue, aluminum parts silver anodised. Weight 80 kg, width ca. 86 cm, projection 70 cm. **No. 30828**



Badminton Post I

For competitions and school sports. Post made of 50 x 50 mm aluminum profiles. Complete with hooks, tensioning belt and ground sleeves. **No. 30802**





Court Royal badminton double post

Space-saving badminton double post with additional weight, projection 58 cm, with ground-protecting rubber points on the support section. Playing posts made of 80 x 80 mm aluminium tube, complete with hooks and tensioning strap, painted blue. **No. 30824**

No. 300802

For competitions and school sports. Posts made of

ø 83 mm aluminum special profile. Complete with

hooks, tensioning belt and ground sleeves.





Universal Posts Cort Royal freestanding

Can be used outdoors as well as in the hall. The multi-game system developed by Universal Sport is suitable for all net and line games. Due to the easy-to-read scale with game markers, a height adjustment is easily possible, even if the net is stretched. The system consists of two base frames weighing 118 kg each. Ball-bearing solid rubber-wheels allow easy transport with set weights. The system is equipped with bottom-protecting rubber points on the underside. The 80 x 80 mm steel columns are infinitely adjustable from 1,00 - 2,45 m and equipped with a safety lock. An all-purpose net (length 6,10 m) is included. The following types of game are possible: tennis, - children's tennis - fistball - volleyball - beachvolleyball - football tennis - bouncing ball - Indiaca - ring tennis - badminton. No. 32001






Additional Weight for tournament use

Steel weight with handle, blue painted. Including bolts for attaching to universal posts Court Royal. Weight 38 kg No. 30848

Badminton Net Olympia Made of 1.2 mm nylon line with tensioning steel wire, 6.60 m long. Size 6.02 m wide, 76 cm high,

mesh size 18 mm, edged all round.

No. 30860



Badminton Net Court Royal Super Cup

Made of 1.2 mm black nylon cord. Size 6.02 m wide, 76 cm high, mesh size 20 mm. Whith PES framing on top, 75 mm, with twisted PE rope 8,0 m. Both sides and bottom bordered with 30 mm black PES lateral framing. On both sides there are 5 velcro fasteners to attach the net to the posts. No. 30850



MADE



Volleyball Net Court Royal Training 2 mm

Black polyethylene net 2 mm, with 100 mm wide edging on top in white, and 5 mm coated steel cable 11, 7 m. Mesh size 100 mm. Dimensions: 9,5 m x 1 m No. 30620



Beach Volleyball Net Court Royal 2 mm

Black polyethylene net 2 mm, 9.5 m long, 1 m high, with 50 mm wide coated edging in green. Mesh size 100 mm. Dimensions: 8,5 m x 1 m No. 30684



Beach Volleyball Net Competition Net

Top 3 mm, low-stretch polyester tensioning rope, bottom 4 mm tensioning rope. With 4 tensioning cords as well as 75 mm wide coated edging in neon yellow. Mesh size 100 mm. Dimensions: 9,5 m x 1 m No. 30681



Volleyball Net Court Royal Competition 3 mm

Black polyethylene net 3 mm, with 100 mm wide edging on top in white, and 5 mm coated steel cable 11, 7 m. Mesh size 100 mm. Dimensions: 9,5 m x 1 m $No.\ 30660$



Volleyball Antenna one piece

With GVF certification mark, length 180 cm, complete with bag and marking tape. No. 30675







Stationary Arena Court Royal mini pitch

This facility fulfils the requirements of a modern sports facility that is designed for long-term use. Support posts made of aluminium profiles are set in concrete at 5 metre intervals, between which steel-coated composite elements are mounted vibration-free. The elements of the pitch perimeter are extremely robust, weatherproof, impact-resistant, physiologically harmless and at the same time quiet.





Court Royal Street Soccer mobil

The weatherproof perimeter system in ³ standard sizes can be set up and taken down as often as requiredtransported and stored to save space-Assembly and dismantling is particularly quick and easy without tools-It is intended for temporary use-erg-for events-celebrations-trade fairs-etc-. The white advertising spaces are ideal for displaying sponsor advertising-

We will be happy to make suggestions for the foiling of the hard foam panels.

Special sizes and other designs on request-

Court Royal Arena stationary

No. 208010 20 x 13 m - 2 goals 3 x 2 m Court Royal Arena stationary With protective net on front and long side No. 208011 20 x 13 m - 2 goals 3 x 2 m

Court Royal Arena stationary

Nr. 208012 30 x 15 m - 2 goals 4 x 2 m Court Royal Arena stationary With protective net on front and long side No. 208013 30 x 15 m - 2 goals 4 x 2 m

Court Royal Arena stationary

Nr. 208015 40 x 20 m - 2 goals 4 x 2 m Court Royal Arena stationary With protective net on front and long side Nr. 208016 40 x 20 m - 2 goals 4 x 2 m

Technical details:

- Support posts set in concrete at 5 m intervals, on which composite elements are mounted in sandwich construction (element dimensions: 5 x 1 m x 4 cm)
- Sturdy, fully welded football goals made of aluminium oval profile with large net hoop construction and access door (goal dimensions: 4 x 2 m and 3 x 2 m)
- Optionally with front and long-sided net construction, 3 m total
- Can be extended with volleyball or basketball facility
 The entire construction is GS-tested



Court Royal Arena Street Soccer small

No. 208007 11 x 6 m / Goals 1.8 x 1.2 m (0.7 m deep)

No. 208007 With surrounding net Court Royal Arena Street Soccer medium No. 208017 15 x 10 m / Goals 1,8 x 1,2 m (0,7 m deen)

No. 208007 With surrounding net

Court Royal Arena Street Soccer big No. 208017 20 × 13 m / 2 goals 3 × 2 m (1 m deep) No. 208007 With surrounding net

Technical details and basic equipment:

- Mobile and flexible conveyor belt system for temporary limited use
- Quick assembly and dismantling
- Simple hook-in and Velcro system, without screw connections
- Safety-tested design in accordance with DIN EN 15312 With certificate: robust, weatherproof, low-noise
- Closed all-round railing system,
 - approx. 90 cm high, approx. 2.5 cm thick
- Boards made from plastic-coated hard foam board (white)
- Basic construction made of corrosion-free aluminium
- Fully welded mini football goals, integrated into the perimeter system
- Perimeter boards are ideal as advertising space
- Ideally suited for events, street festivals, trade fairs, company parties







Youth Soccer Goal Court Royal 3 x 2 m, completely welded, in 4 parts

The newly developed Youth Soccer Goals Court Royal are delivered in four parts. Their stability comply with the fully-welded aluminum-goals. The fully-welded side frames are joined by 102 mm long round profile bars which are fitted with very sturdy interior profiles to join the parts together. Goalposts and bars are made of aluminum. The warp-resistant profile is fitted with a particularly deep groove, in which the plastic net-holders are inserted. According to regulations a tilt-resistant ground anchoring for grassy fields is included. Alternatively anti-tilt weights for synthetic fields are available. The goal meets the FIFA and DFB standards and is produced according to DIN EN 748.

Dimensions: 3 x 2 m, Depth at base: 1,25 m No. 202022



Youth Soccer Goal Court Royal, fully welded, in four parts

The newly developed free-standing Youth Soccer Goals Court Royal are made of plain aluminum and are delivered in four parts and comply with its stability with the fully-welded aluminum goals. The goal frames and base frames are of 120 x 100 mm oval profiles. The two side elements are fully-welded and are connected with the cross bar by super stable interior profiles. The torsion-free special profile is fitted with a groove in which the provided plastic net holders can be inserted. For additional charge of 7 % the goals can be delivered with an integrated net holder. According to regulations an ant-tilt-resistant ground anchoring for grassy fields is included. Alternatively an anti-tilt-resistant ground anchoring for hard courts is available as well. The goals comply with the FIFA and DFB standards, are produced according to DIN EN 748 and are safety tested [GS-tested]. Dimensions: 5 x 2m No. 202021 1,5 m width







Youth Soccer Goal Net Borussia

Very sturdy net made of high-strength 4 mm polypropylene. No. 20240 green No. 20241 white





Handball Goal Court Royal

According to safety standard DIN-EN 749, goal frame 3 x 2 m welded, standard goal depth 1.25 m (optional 1.45 m). Made of especially thick-walled 80 x 80 mm aluminum profile with rounded edges, base pipe for screwing in, very sturdy rear construction, base frame made of 75 x 50 mm square aluminum profile with guide groove, net hoop made of 50 x 3 mm round pipe for free net suspension (the net is not pulled over the hoops). **No. 20520**

Small Field and Handball Goal Net

High-strength 4 mm polypropylene No. 20610 white No. 20611 green



MINI Aluminum Training Goal

120 x 80 cm, 80 cm deep. Hinged net brackets, with floor tube. Complete with net made from high-strength 3 mm polypropylene. 10 cm mesh width. No. 202081 adjustable No. 2020811 fully-welded

Replacement Goal Net

No. 202082 mesh width 10 cm





MAXI Aluminum Training Goal

180 x 120 cm, 80 cm deep. Hinged net brackets, with floor tube. Complete with net made from high-strength 3 mm polypropylene. 10 cm mesh width. No. 202091 adjustable No. 2020911 fully-welded

Replacement Goal Net

No. 202092 mesh width 10 cm



Court



Streetball Unit Court Royal with Grid Backboard

Stable single-post structure made from 90 x 90 mm steel tube, hot-dip galvanized with screw-on plate for basket. Grid backboard 120 x 90 cm, including super-stable basket ring with chain net, galvanized, including ground sleeve.

No. 300262 extension 120 cm No. 300222 extension 165 cm



Streetball Unit Court Royal Heavy Duty with Aluminum Backboard

Stable single-post structure made from 90 x 90 mm steel tube, hot-dip galvanized with screw-on plate for basket. Including target backboard made from 8 mm solid aluminum 120×90 cm, painted white. Including super-stable basket ring with chain net, galvanized, including ground sleeve.

No. 300232 extension 120 cm



Streetball Unit Court Royal Heavy Duty with Grid Backboard

All-metal competition streetball system made of galvanized steel pipe 114 x 45 x 4 mm. Steel grid board, extra low-noise, hot-dip galvanized, 120 x 90 cm. Powder-coated with flat iron enhancement for fixing. DIN drill-holes, with chain net. **No. 300230** extension 120 cm



Basketball System Court Royal with GFK Backboard round

Stable single-post structure made from 90 x 90 x 4 mm steel tube, hot-galvanized, fully welded with screw-on plate for basket. Ground sleeves are hot-galvanized with anti-lift device. GS approved, produced according to DIN EN 1270. Made in Germany. GFK board in rounded shape 120 x 90 cm with an orange-coloured DIN-basket and a 6 mm nylon net, including ground sleeves.

No. 30026 extension 120 cm No. 300220 extension 165 cm

With aluminium fan board

 No. 300265
 extension 120 cm

 No. 300221
 extension 165 cm



Basketball System Court Royal with Aluminum Board 120 x 90 cm

Stable single-post structure made from 90 x 90 x 4 mm steel tube, hot- galvanized, fully-welded with screw-on plate for basket. Ground sleeves are hot-galvanized with anti-lift device. GS approved, produced according to DIN EN 1270. Made in Germany. A massive 8 mm strong aluminum board, angular form 120×90 cm with Big Duty basket and a chain net which is attached at 12 points, including ground sleeves. No. 30022 extension 120 cm No. 300264 extension 165 cm



Stabilizing bracket for basketball board Additionally for all basketball boards. Provides an even better stabilization of the board and reduces oscillations and vibrations. No. 300269





Big Duty Basketball System

Steel tube single-pole frame made from square profile 15 x 15 cm, hot-dip galvanized, projection 165 cm, fully-welded. Including target backboard made from 8 mm solid aluminum 120 x 90 cm, painted white. Including super-stable basket ring with chain net, galvanized. Basket is screwed directly to frame and therefore prevents target backboard from being damaged if subjected to extreme stress. The system is extremely stable, weather-resistant, maintenance-free and vandalism-proof, therefore ideal for use on public playgrounds and sports facilities, galvanized. Basket is screwed directly to frame and therefore prevents target backboard from being damaged if subjected to extreme stress.

No. 30027 with Alu backboard 120 x 90 cm square

No. 30038 with Alu backboard round 120 x 90 cm



Basketball Basket DIN red

According to international standard. Red powdercoated, complete with back plate with DIN drill holes 11×9 cm. Without net. **No. 300229**

Basketball Net Ultra

Nylon cord 6 mm. **No. 30230** white

Basketball Bassket Ultra Flex 70

Match basket according to international regulations. (DIN 1270) Double spring folding mechanism in closed safety housing. Inclination of the basket from 70 kg ring load. Red, powder coated with DIN drilling 11 x 9 cm. Without net. **No. 30227**

Basketball Basket Ultra Flex 30

Match basket according to international regulations. (DIN 1270) Double spring folding mechanism in closed safety housing. Inclination of the basket from 30 kg ring load. Red, powder coated with DIN drilling 11 x 9 cm. Without net.

No. 31040 (without illustration)





Basketball Basket Big Duty

Indestructible basketball basket made of hot-dip galvanized steel. With DIN drill holes 11 x 9 cm. Without net. **No. 300219**

Chain Net


Galvanized steel. No. 30233






Streetball Backboard Fiberglass

ather resistant, anti-vibration Fiberglass Board. With black print on the side. Incl. DIN holes. Dimensions: 120 x 90 cm. No. 30212



Basketball Backboard Heavy Duty steel

White powder coated 4 mm thick steel board in Fan design. Absolutely weatherproof. Including DIN holes. Dimensions: 135 x 90 cm **No. 300121**




Basketball Backboard Fiberglass

Absolutely weather resistant, anti-vibration Fiberglass Board without holes. Wooden core for individual attachment. Dimensions: 180 x 120 cm. **No. 30200**

Streetball Grid Backboard

Made of fully welded grid. Low noise and wind permeable. Suitable for residential areas. Vandalism protected. Incl. DIN holes. No. 300112 120 x 90 cm No. 300115 180 x 105 mm








Streetball Backboard Alu

Made of 8 mm solid, fully welded aluminum. White powder coated. Incl. DIN holes. Dimensions: 120 x 90 cm. **No. 30214**




Basketball Backboard Alu

Very stable anodized aluminum with reinforcement of the edges. Long-lasting and weather resistant. Perfect outdoor use. For highest demand. Vandalism-proof. Incl. DIN holes. Dimensions: 120 x 90 cm. **No. 30216**



Basketball Backboard Fiberglass

Absolutely weather resistant, anti-vibration Fiberglass Board without holes. Wooden core for individual attachment. Dimensions: 180 x 105 cm. No. 30201







Streetball Unit New York

Powder-coated steel post Ø approx. 95 mm to be set into concrete. Board 112 x 73 cm, basket Ø 45 cm and net. Height adjustable from 2.00 to 3.05 m. Extension 60 cm **No. 31020**

Streetball Unit Atlanta

Free-standing, robust mobile system made from powder-coated steel tubing approx. 95 mm Ø. The base can be filled with sand [approx. 190 kg]. Weather-resistant, recyclable plastic backboard 112 x 73 cm complete with solid steel basket 45 cm Ø and nylon net. Basket height 3.05 m. **No. 310201**

Streetball Unit Los Angeles

Free-standing, robust mobile system made from powder-coated steel tubing. The base can be filled with sand (approx. 190 kg). The height of the basket can be automatically adjusted using a lever from 3.05 m (competition) to 2.10 m (kids). Weather-resistant, recyclable plastic backboard 112 x 73 cm, complete with solid steel basket 45 cm Ø, nylon net and arm. **No. 310203**





SCORLI LED-Scoreboard TENNIS



Scorli LED-Scoreboard P5 for 9 Disciplines

- 🚺 Tennis Table Tennis Squash Badminton Padel Volleyball Beach Volleyball
- Dedicated application allows using tablet/smartphone to transmit score to Scorli scoreboard display in real time [Android + IOS]
- 💋 Game analysis
- ኃ Displaying marketing content
- 🜔 Tournament automatic management (soon)




Electronic score display for indoor and outdoor use in real time. Scores and results are transferred directly from the tablet or smartphone via Bluetooth, [Android + IOS].

The electronic scoreboard's own operating system with SCORLI software and app allows interference-free data transmission with a range of up to 80 meters. Advertising and information can also be displayed on a smartphone, tablet or laptop via a Wi-Fi PC interface with an optional Wi-Fi card and pre-installed app.

Specifications

Screen Resolution: Screen dimesions: Weight: Wi-Fi card: Display function: Clear view: Bluetooth: Tripod: No. 40896 128 x 96 pixels 640 mm x 480 mm 13 kg (optional) TF-E6UW+hub75E005 Text and graphic Daylight 70-80 meter Bluetooth 4.0 up to 70 m range included









Specifications


Resolution: Display size: Weight: Wi-Fi card: Display: Readability: Bluetooth: Power supply: 128 x 96 pixel 1280 mm x 960 mm (W x H) 45 kg (optional) TF-E6UW+hub75E005 Text, graphics and video 100 m during the day Bluetooth 4.0 range up to 70 metres 110 - 240 V

Wi-Fi PC Card

The Wi-Fi PC card is plugged directly into the Scorli scoreboard and, together with a special application, enables advertising and marketing material to be sent via laptop / smartphone / tablet [Android + IOS].










Court Dimensions

Post and net dimensions



23,77




Court



Pickleball Court Dimensions

Padel Tennis Court Dimensions




Copyright by Universal Sport GmbH 2024 Maßangaben ohne Gewähr / Dimensions without guarantee





Badminton Court Dimensions

Volleyball Court Dimensions





Endlinie / End line Freiwurflinie / Free throw line 5,8 m / 19,03 ft 8,325 m / 27,313 ft 4,90 m / 16,08 ft Seitenlinie / Sideline Seitenlinie / Sideline Court 28 m / 91,8635 ft 3,6 m / 11,811 ft Mittelkreis Mittellinie / Centre line Centre circle Einwurfmarkierung Throw-in marker Drei-Punkte-Linie / Three point line 6,75 m 22,146 ft 0,9 m 2,953 ft No charge Halbkreis No charge semicircle 1,575 m 5,167 ft Endlinie / End line

Basketball Court Dimensions

15 m / 49,2126 ft


Copyright by Universal Sport GmbH 2024 Maßangaben ohne Gewähr / Dimensions without guarantee

Basketball Court Dimensions

Die Abmessungen für Street Basketball finden Sie unter www.universal-sport.com

You can find the dimensions for Street Basketball at www.universal-sport.com







Represented by Universal Sport GmbH Waldstraße 8 D- 71101 Schönaich

Service-Phone: +49[0]7031 7533 75 info@tmd-gruppe.de www.court-royal.com